

DATE FORWARDED TO NEXT DEPT.

Date

6/22/21

Initials





DEPARTMENT

City Comptroller

Law CAFO

**Community Development** 

## City of Springfield Contract Tracer Document

The purpose of this document is to provide continuous responsibility for the custody of **CONTRACTS** during the processing period.

DATE RECEIVED

**Initials** 

**INSTRUCTIONS:** Upon receipt, please initial and write in the date of receipt. When your department has approved and signed the contract, please initial and date in the forwarding section and deliver to the next department.

Date

Mayor	PA	10/50	N.	100	6/9/21
City Comptroller	- Cy	0/00		KIM	6/30/2
Community Development				7400	0/20/20
Vendor No.: 21877 C	ontract No.:	Contra / 0 78/	ct Date	e: 06/07/2021	
Contract Amt.: \$122,452	2.00 Issue Dat	e: 06/22/202	0	Renewal Date:	
Appropriation Code1: 26 Appropriation Code2: 26 Appropriation Code3: Appropriation Code4:	5451815-53010 5881801-53010	5-64516 <b>\$</b> 105-68800	08,352 f, 100.	3.00 00	
Description of Funding S	Source: CDBG-	-NDR			
Bid No.:	Requisition	on No.: 2101	5067	PO No.:	
Vendor Name: Angela B	orges				
Contract Type: CDBG-N	IDR Healthy H	omes		14	
Contract Purpose: Rehab	of 38 Merwin	Street			
Originating Dept.: Office	e of Disaster Re	ecovery and	Comp	liance	
Expiration Date: 08/06/2	026 Amendmo	ent Date:		Extension Date:	20
TYPE OF DOCUMENT (Ple	ase select at least	one):			ab l
New ☐Renewal			Ext	ension	<u>O</u>

# CITY OF SPRINGFIELD HEALTHY HOMES PROGRAM

# REHABILITATION LOAN AGREEMENT FOR OWNER-OCCUPANTS

Whereas,	the	City	of	Springfield	("City")	is	providing	financial	assistance	to
Angela M	l. Borge	es		("Borrov	ver") from	the	Healthy Hor	nes Prograi	m in the amo	ount
of \$ 122,4	152.00	_ to f	und	rehabilitation	of the l	nome	located at	38 Me	win Street	
Springfield	, MA _	01105	, a	according to t	he terms (	of the	e agreed-upo	n Specs by	Location/Tra	ade,
dated	0/28/2	0, a	ttach	ed hereto as	Exhibit B	and	in complian	ce with Ma	ssachusetts	and
City of Spi	ingfiel	d build	ling a	and health co	des. The	Hea	Ithy Homes	program i	s funded by	the
federal Co	mmur	ity De	evelo	pment Block	Grant -	Nat	ional Disast	er Resilien	ce (CDBG-N	IDR)
program.										

Now, therefore, the parties agree as follows:

#### Terms of the Loan

Financial assistance is provided as a 0% interest, five-year forgiveable loan. As long as the Borrower complies with this Agreement, the principal amount of the loan shall be forgiven at an equal percentage rate of 20% per full year, plus 45 days until it is 100% forgiven after five years, plus 45 days.

#### Owner Occupancy

The Borrower will use the home as their principal residence for a period of five years, plus 45 days, following final payment to the contractor. In the event that the Borrower continues to own the property, but fails to maintain it as their principal place of residence for the five—year loan term referenced above, the entire sum of the loan will become immediately due and payable.

The Borrower understands that if, during the five-year loan term, part or all of the property is sold or refinanced without the City's prior written consent, the City shall require payment of the amount of the loan outstanding at time of sale.

#### **Rental Units**

If the property has multiple units, the Borrower must live in one unit and rent all other units to households with income at or below 80% area median income (AMI) for the five-year loan period. The AMI amount changes from year to year; the required income limits can be obtained from the Springfield Office of Housing.

The Borrower may not evict existing tenants without cause for a period of two years, following final payment to the contractor.

#### **Income Eligibility**

The Borrower certifies that he/she has provided complete, accurate, and current information regarding household income to demonstrate Borrower's eligibility to receive CDBG-NDR funds.

#### Schedule

The City and the Borrower expect the rehabilitation and related activities to be completed within 150 days of the execution of this agreement.

#### **Enforcement**

The Borrower and the City acknowledge that the City has the right and responsibility to enforce this agreement.

This contract is signed as of the/tn	_ day of, 2021.
Angela M. Borges  Property Owner  36451815-53065-64516 \$108,352.00  36881801-530105-68800 \$14,100.00	Office of Disaster Recovery CITY OF SPRINGFIELD
Approved as to Appropriation:	Approved as to Form:
a Rdiff 6/25/21	AND will
Office of Comptroller CITY OF SPRINGFIELD	Law Department CITY OF SPRINGFIELD
	8
APPROVED:	
10 1 POTT	

Domenic J. Sarno, Mayor CITY OF SPRINGFIELD

Chief Administrative and Financial Officer

CITY OF SPRINGFIELD

# CITY OF SPRINGFIELD HEALTHY HOMES PROGRAM

# REHABILITATION LOAN AGREEMENT List of Exhibits

#### Healthy Homes Rehabilitation Program Agreement

Exhibit A - Project Budget

Exhibit B - Itemized Repair Specs by Location/Trade

Exhibit C - Mortgage

Exhibit D - Promissory Note

Exhibit E - Section 3 Clause

Exhibit F - Tax Certification for Contracts

Exhibit G - <u>Insurance Binder</u>

## Exhibit A

## **Healthy Homes Rehab Project Budget**

Homeowner/Borrower: Angela Borges

Project Address: 38 Merwin Street

Project Budget	Amount
Repair/Rehab	\$85,550.00
Lead Abatement	\$14,100.00
Lead Services	\$1,205.00
Relocation	\$2,295.00
Legal Fees	\$730.00
Plotkin	\$2,600.00
Sub-Total	\$106,480.00
Contingency (15%)	\$15,972.00
Total	\$122,452.00

### CITY OF SPRINGFIELD OFFICE OF HOUSING 1600 EAST COLUMBUS AVE SPRINGFIELD, MA 01105

### **Bid Proposal Form**

То:		Date Submitted:	3/12/202/
		Project Address:	38 Merwin Street
		•	
	wing proposal is hereby submitte		
	d/or specified in the bid document		
1.	General Conditions	Pages, Dated	
2.	Work Write-Up	Pages, Dated	-
3.	Code Violation Notice	Pages, Dated	
4.	Performance Manual	Pages, Dated	CARPINISANA AND AND AND AND AND AND AND AND AND
5,	Addenda 1 to	Pages, Dated	
6,	Other		
proposed of the Wo site in all stated and any and a	rsigned, having become thorough Contract Documents and with loc ork at the place where the Work is particulars, hereby proposes and in strict accordance with the proposes and materials, and to doccordance with the Contract Documents.	al conditions affec to be completed, a agrees to fully per posed Contract Do all work required	ting the performance and costs and having fully inspection the form the Work within the time cument including furnishing of to construct and complete said
Al We	se Bid: l labor, materials, services, and eq ork:	-	<u>-</u>
<u>_r</u>	sindy nine Bix hundred for	My Dollar	rs (\$ 99,650.00)

#### ADDITIONAL SUBMISSIONS

If awarded the Contract, the Bidder agrees to present the following documents to the Owner prior to the issuance of the Notice to Proceed: valid certificates covering Property Damage, Liability, and Workers' Compensation Insurance, all necessary building permits, and a Sworn Statement for Contractor and Subcontractor to Owner listing all of the subcontractors and subcontract amounts.

#### RETAINAGE

It is further agreed that if awarded this contract, 10% of all requested payouts will be retained until the project is completed to the approval of the Owner and all approving agents. Completion of this project will require 60 calendar days. This proposal is valid for a period of 90 days.

#### TIME

Upon request by Our Program, contractor agrees to itemize any/or all aspects of this proposal on the attached form.

#### ALTERNATE ITEMS TO BID

NOTE: Failure to submit line prices for each individual alternate item may exclude your entire bid proposal.

<u>Item Number</u>	<u>Line Price</u>
1) <u>LEAD ABATEMENT NUMBER</u>	\$ 14,100
2),	•
3)	\$_
4)	-
5)	
6)	
TOT	AL \$ 99,650

ADDITIONAL COMMENTS, RECOMMENDATIONS, SUBSTITUTIONS, ETC.:

THE CONTRACTOR ELIPTHER DROPOSES TH	
THE CONTRACTOR FURTHER PROPOSES THE DELETIONS OR ADDITIONS TO THE WRITE-U	
	PRICE
	\$
	•
	\$
	\$
AN Construction	Aleffanlea
Contractor: 10 12 Construction	Signature
Contractor: All Construction  Address: 7/0 Florence RD	Signature
Florence MA 0106	2
forence in a	
Phone:	OWNER
	Title
By my signature as a Contractor or agent of the inspected the above noted property and have re-	
Invitation to Bid and/or Bid Form.	
011 al 1	
Signature Mellen son le	
Title OWNER	
Company AM Construction	
Company ATR C 9115 V rach SP	
Date 3//2/292/	·

### SPECS BY LOCATION/TRADE

10/28/2020

Biddi	Pre-Bld Site Visit:  Bidding Open Date:  Bidding Close Date:  Initial:  Case Number: Angela Borges  Project Manager: Sean Pham  Phone:					
Address: 38	Merwin Street	Unit: U	Jnit 01			
Location:	1 - General Requirements	Approx. V	Vall SF: 0		Celling/Floor SF	: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 1	General Requirements	. ,,,				
the "Date in	OWNER ACCEPTS SCOPE OF WORK igned applicant(s) certifies that he/she has part spected" date of & referred to as Escribed & has initialed & dated each page of the X	xhibit 1. After careful revie				
Write Up (W	CONTRACTOR ACCEPTS SCOPE OF WOR igned contractor certifies that he/she has carefu /WU) with the "Date Inspected" date of age of the WWU.	ılly reviewed & agrees to p				
28 This dwellin ḫtlp://www.a	VENTILATIONASHRAE 62.2-GENERAL Rig unit must have a ventilation system that meet ashrae.org/technology/page/548 and buildingscience.com/documents/reports/rr-0502	s ASHRAE 62.2 . See	1.00 illation-techno	GR ologies/	attender to the second	
30	WALL NAMING PROTOCOLS		1.00	EA	<del>,</del>	
the address To name co The last is w	ttached components shall be identified with the elevation or the "street side" of the house. Mor mponents, for example, a window as a subset of window D4 moving in a clockwise direction. The apper, lower. For example: Replace the right side.	ving clockwise, the walls a of 4 windows on the D wal ese locational markers may	ire then B, C, l, the first wor y also be com	D. uld windo	w is Window D1.	
. 31	CONSTRUCTION DEFINITIONS	Ü	1.00	GR		
"Install" mea material, pui	ans to purchase, set up, test and warrant a new rchase new material, deliver, install, test and war rough replacement, adjustment and recoating o	arrant. "Repair" means to r	eans to remo return a build	ve and di	onent to like new	
32	SUBSTITUTION APPROVAL PROCESS		1.00	GR		<del></del>
manufacture	s for substitutions of specified proprietary items or's specifications; full installation instructions ar contract award.					
34 The apparer	LINE ITEM BREAKDOWN  It winning bidders shall provide the owner with	a line item cost breakdowr	1.00 a within 3 wor	DU king days	of a request.	**************************************
35	VERIFY QUANTITIES/MEASUREMENTS		1.00	GR	manda was to think the same of	<del></del>
(RM) or Dwe at a mandate or Dwelling t Housing Ref	s stated in the attached specifications for this a elling Unit (DU) (e.g. SF of Drywall) are for the c ory site inspection prior to bid submission. All c Unit (DU) are as stated. Discrepancies in Quan nabilitation Specialist prior to the submission of	contractor's convenience a quantities stated in the Uni utities found by the contrac a bld. Claims for addition	and must be v ts of Measure stor must be o	erified by Each (E. ommunic	the contractor A), Room (RM) ated to the	

Address: 38	Merwin Street	Unit: Unit 01		0.41.751.00	
Location:	1 - General Requirements	Approx. Wall SF: 0		Ceiling/Floor SF	
Spec #	Spec	Quantity	Units	Unit Price	Total Price
Trade: 1	General Requirements				<del></del>
40 The contrac Plumbing; Abatement.	1		ts to the a		
CONTRAC	TOR MUST CHECK OFF ALL PERMITS THAT APP	LY TO PROJECT.			
	CONTRACTOR PRE-BID SITE VISIT ctor must inspect the property. Submission of a bid is the site and is conversant with the requirements of th			thoroughly	·
55	WORK TIMES	1.00			
	s and their Subcontractors shall schedule working ho o work on weekends and before or after these hours			through Friday.	
	NEW MATERIALS REQUIRED s used in connection with this work write-up are to be r pre-approved by Owner and Construction Specialis			unless stated	
78	WORKMANSHIP STANDARDS	1,00	GR		
	all be performed by mechanics both licensed and ski ers shall protect all surfaces as long as required to e		ell as the ta	asks assigned to	
frequently in	CLOSE-IN INSPECTIONS REQUIRED ency for inspection of all work that will be concealed includes, but is not limited to footings, roof sheathing ming & decking prior to installation of underlayment	& flashing prior to installation of a	hls type onew felt &	shingles, and	
90	1 YEAR GENERAL WARRANTY	1.00	DU	-	***************************************
therefrom, v	shall remedy any defect due to faulty material or wor which appear within one year from final payment. Fu rs' written warranties covering items furnished under	irther, contractor shall furnish ow	ner with al	l manufacturers'	
9008	ENVIRONMENTAL REHABRRP REQUIREMEN	TS 1.00	GR	***************************************	•
comply with	ctor performing renovation, repair, and painting proje EPA 40 CFR Part 745(Lead; Renovation, Repair, a Firm and must use Certified Renovators who are tra ees.	nd Painting Program), be certifie	by the E	PA as a	
rađe: 9	Environmental Rehab				
9003	LEAD-SPECIFIC LAWS, RULES, REGULATIONS GUIDELINES	5 & 1.00	GR		
lead dust er Hazard Con	on of this work shall comply with all applicable federa nvironments, including but not limited to: 29 CFR 192 nmunication Standard; 40 CFR Part 745 - Lead-Base EPA Regulations); 24 CFR Part 35 - HUD's Lead Sa	26.62 - Lead Construction Stand ed Paint Poisoning Prevention in	ard; 29 CF	R1910.1200 -	
	LEAD-BASED PAINT REGULATIONS - FEDERA FUNDED HOUSING REHABILITATION egulation 24 CFR Part 35; the contractor must confo	rm to the Lead-based paint requi		or rehabilitation in	14,10
1. When the a. The Cont any paint the b. After com	iate category listed below, based on the amount of re Federal Rehabilitation Assistance is \$1 to \$5,000 p ractor shall implement safe work practices during rel at is disturbed. apletion of any rehabilitation disturbing painted surfact- with Sec. 35,1340. Neither Clearance nor Lead Safe	er unit: nabilitation work in accordance w es, each work site must pass a e	ith Sec. 3	examination in	

disturb painted surfaces of a total area of more than 20 SF on exterior, 2 SF per interior room or 10% of a small component.

Page 2 of 1;

Address: 38	3 Merwin Street	Unit: Unit 01			
Location:	1 - General Requirements	Approx. Wall SF: 0	····	Celling/Floor S	F: 0
Spec #	Spec	Quantity	Units	Unit Price	Total Price
Trade: 9	Environmental Rehab				

b. The co any paint	ntractor shall abate all identified or presumed le ntractor shall implement safe work practices du that is disturbed. tire unit shall pass a clearance examination in a	ring rehabilitation work in acco	ordance wit			air
			I.	ocation.	Total:	17, 109.
Location:	2 - Exterior	Approx. Wal	II SF: 0		Ceiling/Floor	SF: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 4	Site Work					
465 Cut and re REAR OF	TRIM BACK TREE BRANCHES emove tree branches back from house to a min	10' distance, to legal dump.	1.00	EA		75.0
Trade: 6	Concrete & Paving					
exposed o	CONCRETE SLABPATCH deteriorated slab section. Grade and compact soncrete. Pour a 4", 2200 psi concrete slab to ray SIDE OF HOUSE NEAR FOUNDATION WA	natch elevation of surrounding	25.00 agent per r ı slab. Floa	SF nanufactu t and stee	rers specs on al trowel finish.	1, 100
Trade: 7	Masonry					
1230	MASONRYREPOINT		150.00	SF		2,100
using port	ortar at least 1/2". Remove all loose material w land cement mortar. Reinstall flashing, tool con TION WALLS			and repo	int in 1/2" lifts	·
	BRICK WALL REPAIR amaged brick and tooth replacement brick into	wall. Match brick and tooling	50.00 as closely	SF as possib	le.	600
FOUNDA	TION WALLS					
Color of br	MASONRY CHIMNEYREBUILD chimney to below lowest point on roof. Rebuil ick to match existing as closely as possible. Clhimney cap and terra cotta flue liner.					4 <u>200</u> 1
FRONT C	YBAMIF					
Trade: 10	Carpentry					<b>1</b>
2985 Field meas sides and	WINDOWVINYL BASEMENT AWNING sure, order and install a vinyl awning double gla all trim.	zed, single lite basement wind	3.00 low. Caulk	EA , prime an	d top coat both	1200

Spec#	2 - Exterior Spec	Quantity	Units	Unit Price	Total Price
					HAMPETT, C.
ade: 10 DRIVEWA					
	HOUSE (1) REPLACE BROKEN WINDOW				
3183	CREATE NEW EXTERIOR DOOR OPENING ENERGY STAR		EA	_	4200
Frame ope Install a Je	ew 36" exterior door. Create an opening in the existing wall ening as needed with wood and steel to provide fastening for ald Wen ENERGY STAR certified 36" insulated prehung ste atch and double cylinder dead bolt keyed to match the deadt	the prehung door and sup el door, model 692 with 2 li	port for th les, clear	e opening.	
FRONT EN	NTRY DOOR TO HALLWAY "				
3185	DOORPREHUNG METAL ENTRANCE	1.00	EA		1100
Dispose of exterior cas Prime and	•	entrance door and jamb in ne entrance and one morti	cluding in sed deadl	nterior and bolt keyed alike.	1
REAR BAS	BEMENT ENTRY DOOR				1116
3515 Construct	PORCH GUARD RAIL REPAIR-WOOD a preservative treated pine railing using 2"x 4" top and bottom	20.00 om rails, and 2"x 2" baluster	LF s face na	illed 4" on center.	900
SIDE POR	CHED 1ST AND 2ND FLOOR				ウァハ
members 2	PORCH LATTICEREPLACE  any existing lattice around porch crawl space. Frame open 24" on center. Install 1/4"x 2" pine lattice on frame.	120.00 ing with 1"x 4" preservative	SF treated p	ine with vertical	<u>350</u>
FRONT PO	JROH				2 G) (0
stock tread treated pine	STEPS/LANDINGREPL EXTERIOR  existing steps. Construct a replacement unit with 2"x 12" properties, on a solid concrete footer. Frame stairs 8" wide connection e railing using 2"x 4" top and bottom rails, and 2"x 2" baluste a graspable wood handrail on one side 32" above tread nosi	ng to existing porch. Cons ers face nalled 4" on center	struct a pr	." PTP stepping eservative	<u> </u>
FRONT ST	TEPS				3,750
3595	STEPSREPLACE EXTERIORRI	5.00	RI		3,776
stepping st pine railing	existing steps. Construct a replacement stair unit with two 2 lock treads, 1x PTP risers on a solid concrete footer. Frame using 2"x 4" top and bottom rails, and 2"x 2" balusters face a graspable wood handrail on one side 32" above tread nosi	stairs 6-5" wide. Constru nailed 4" on center. Creat	ct a prese	ngers, 5/4" PTP ervative treated	
SIDE POR	CH				
de: 15	Roofing				/
	ROOFREPAIR SHINGLES emove any damaged shingles without damaging any surrour				2,40
4567 Carefully re	shingles with matching shingles.	1.4 4 1 11 1	g up exist	ing shingles.	
4567 Carefully re damaged s When insta Add roofing	shingles with matching shingles. alling under existing shingles higher on the roof fasten the ne g felt under the repaired area as necessary to maintain a cor ad repair will be water tight.	ew sningles by gently prying ntinuous layer maintaining	a waterfal	l installation.	
4567 Carefully reduling the damaged sometimes with the damaged sometimes with the damaged that the finished sometimes for the finished sometimes are detailed as the damaged that the damaged sometimes are damaged to the damaged sometimes for the damaged sometimes are damaged to the damaged sometimes are damaged to the damaged sometimes are damaged to the damaged sometimes are damaged sometimes and the damaged sometimes are damaged sometimes and the damaged sometimes are damaged are damage	alling under existing shingles higher on the roof fasten the ne g felt under the repaired area as necessary to maintain a con	ew shingles by gently prythi ntinuous layer maintaining :	a waterfal	l installation.	1,69

Address:	38	Merwin Street			Unit: Unit 01			
Location:		2 - Exterior		А	pprox. Wall SF; 0		Ceiling/Floor S	3F: 0
Speca	#	Spec			Quantity	Units	Unit Price	Total Price
Trade:	15	Roofing						
4640 Dispos center			" SEAMLESS ALUMINUM Install 5", square, seamless	i, .027 gauge, wł	130.00 nite, aluminum down		ap at least 3' on	1,300
Trade:	19	Paint & Wall	paper	· · · · · · · · · · · · · · · · · · ·	·			
prime :	with	und with drop cloth.	XTERIOR MASONRY Scrape or pressure wash all ne top coat with latex. Color				n surface. Spot	1,315
Trade:	23	Electric						
plate.			PTACLE WITH GFCI DEVIC an ivory surfaced mounted	_	1.00 uit interrupt recepta		terproof cover	<u> 200</u>
10111		KT (KONT FORG)				Location	Total: 💆	31,065
Location:		3 - Basement		A	pprox. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	‡	Spec			Quantity	Units	Unit Price	Total Price
Trade:	21	HVAC						
6015 Clean, BOTH	-	ect and servicel and	ERVICE AND CLEAN adjust heating equipment an	nd controls. Rep	2.00 lace and defective c		<del></del>	<u>780</u>
6290 Install a BOTH		utomatic feed and low	AUTOMATIC FEED  water cutoff valve. McDon	ell-Miller or prea	2.00 pproved equal.	EA		320
outlet. other fa	http:/ asten	//www.energyfederations: wers that protrude into	ductwork from the specified on org/consumer/default.php the interior of the exhaust conduct tape. Secure duct and	p/cPath/30_4287 duct. Use pop riv	7_4571. Do not fast vets to connect secti	artland Dry en with nai	ils, screws or	400
Trade:	22	Plumbing						
and ter shut-of	nper f valv	ature relief valve, disc	-40 GALLON GAS gh recovery, insulated to R- charge tube to within 6" of flo of old water heater in code	oor or to outside				2 <u>,200</u>
Trade:	23	Electric					· · · · · · · · · · · · · · · · · · ·	
complia fixtures	ance. , with	Non-functioning and n \$20 per fixture allow	tIC DISTRIBUTION sed wiring, motors, fixtures a didangerous equipment and vance. The service panel sh B BOXES INCLUDED	wiring shall be r nall conform to th	replaced with Romex ne BOCA Existing St	k wire, ivor	y devices and	1,300
			4	k	4 N			

		Location Total:						
Location:	4 - Attic Rooms	Approx. Wall SF: 0		Ceiling/Floor S	F: 0			
Spec#	Spec	Quantity	Units	Unit Price	Total Price			
Trade: 10	) Carpentry							
	WINDOWVINYL DBL HNG DBL GLZ sure, order and install a vinyl, double hung, double prior casing and exterior trim. Install half screen.	3.00 glazed, one-over-one window and ja	EA imb includ	ding screen,	1950			
MIDDLE I	ING LOCATIONS: ROOM (1) DROOM (2)							
3345 Install flus REAR BE	DOORFLUSH INT, HOLLOW CORE th, hollow core, masonite door on existing jamb. Inc DROOM	2.00 clude privacy lockset and 2 butt hing	EA es.		750			
Trade: 17	Drywall & Plaster	<b>,</b>						
nail or scr	DRYWALLPATCHLARGE defective gypsum to expose half of the studs on eace ew patch. Apply tape and 3 coats of compound fea ND REAR HALL/STAIRCASES WALLS AND CEILI	ilhered out at least 8". Wet sand rea	SF t drywall p dy for pai	patch. Glue and int.	1400			
Trade: 19								
surfaces. holes/crad	cover all hardware, fixtures, furniture, personal items Feather edges/dull gloss surfaces w/ sandpaper. ( sks and repair any damage to walls/ceiling. Spot prinoice of premixed acrylic latex. Include any closets. DROOM	Clean all surfaces w/ non-phosphate me & top coat trim, ceiling, walls, do	detergent ors & wind	t. Fill all				
Trade; 23	Electric			· · · · · · · · · · · · · · · · · · ·				
non-meta FOLLOW	INSTALL RECEPTACLE15 AMP Ivory, duplex, 15 amp receptacle and ivory cover pla lic (NM) cable. Fish wire and repair all tear out. NG LOCATIONS: EDROOM (1)	3.00 ate at least 15" above floor level usin	EA g copper	12-3	600			
MIDDLE I	BEDROOM (1) DROOM (1)			£	~ A M			
	ELECTRICCUSTOM ensed electrician inspect/test and replace all 2-pror tlets thru out house.	8.00 ng ungrounded outlets and repair/rep	EA lace all 3	prong open	1,306			
FOLLOW	NG LOCATIONS:							
MIDDLE I	EDROÖM (2 HNR) BEDROOM (2 HNR) (1 NO POWER) ROOM (1 HNR) DROOM (2 HNR)							
		L	.ocation	Total:	12, 150			
Location:	5 - Front 2nd to 3rd fl Hall/Stairs	Approx. Wall SF: 0		Ceiling/Floor S	Fi: 0			
Spec#	Spec	Quantity	Units	Unit Price	Total Price			

Address:	38	Merwin Street	Unit: Unit 01			
Location:		5 - Front 2nd to 3rd fl Hall/Stairs	Approx. Wall SF: 0		Ceiling/Floor S	6F: 0
Spec#		Spec	Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry				
at least compat plumb v	1 in ible with	HANDRAILREPLACE INTERIOR  and Pine handrail screwed to metal handrail brace ch, or if fastening to a masonry wall use minimum screws. Handrail will extend 6 inches past a line path the nosing of the bottom tread. All edges will be e	3/8 inch diameter plastic masonry polumb with the nosing of the top trea	lug faster d and 6 ir	ners and	
Trade:	19	Paint & Wallpaper			_1	100
surface holes/c	s. F	PREP & PAINT OCCUPIED ROOM ver all hardware, fixtures, furniture, personal items teather edges/dull gloss surfaces w/ sandpaper. Os.Repair any damaged to walls and ceilings. Spot sice of premixed acrylic latex. Include any closets.	clean all surfaces w/ non-phosphate prime & top coat trim, ceiling, walts, Replace furniture and vacuum roon	detergen doors &	t. Fill all windows with	180 1,580
				ocation.	भ	010-
Location:		6 - Rear 2nd to 3rd FI Hall/Stairs	Approx. Wall SF: 0	1 Fra l fi m	Ceiling/Floor S	
Spec # Trade:		Spec Paint & Wallpaper	Quantily	Units	Unit Price	Total Price
		s.Repair any damaged to walls and ceilings. Spot ice of premixed acrylic latex. Include any closets.	Replace furniture and vacuum room			1,900
Location:		7 - 2nd Fl Kitchen	Approx. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #		Spec	Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry				·
<b>2820</b> Field me	easu	ALUMINUM SCREEN & FRAME re and install an aluminum screen and frame in w	2.00 indow opening.	EA		400
3350 Install a HALLW		DOORPANELED INT, SOLID CORE d pine, 6-panel door on existing jamb. Include priv	1.00 racy lockset and 2 butt hinges.	EA		. 700
<b>3765</b> Resecu damage		COUNTER TOPCUSTOM ose sink countertop to prevent movement. Instail	1.00 missing end caps on side of counter	AL tops to p	revent water	2 35
Trade:	22	Plumbing				
6645 Install a KITCHE		SHUT-OFF VALVE C or chromed brass shut-off valve on existing fixtui NK	2.00 re supply line.	EA		310
·	•	TRAPREPLACE  and all plastic piping from floor stub out to fixture	1.00 with PVC or polypropylene.	EA		250
Trade:	23	Electric			<del> </del>	

Location:			
Spec #	Spec Quantity Units	Unit Price	Total Pric
Trade: 23		<del>,</del>	
7583 Replace ex	REPLACE RECEPTACLE WITH GFCI DEVICE 1.00 EA xisting receptacle with an ivory surfaced mounted ground fault circuit interrupt receptacle with iv	vory cover plate.	<u>206</u>
7840	RANGE HOODRECIRCULATING 1.00 EA		500
	", recirculating, enameled metal range hood with light, charcoal filter, and washable grease filter	er. Owner's choi	ce
8145 Have a lice	ELECTRICCUSTOM 1.00 EA cased electrician inspect/test and replace Non working outlets in kitchen.		606
	Locatio	n Total:	2,910
_ocation:	8 - 2nd Fl Bathroom Approx. Wall SF: 0	Ceiling/Floor	SF: 0
Spec#	Spec Quantity Units	Unit Price	Total Pric
Trade: 9	Environmental Rehab		
9130 Clean tub/s	CLEANING/CAULKING OF TUB SHOWER UIT 1.00 AL shower unit of all mildew and soap scum, apply recaulking to perimeter of tub/shower.	<b></b>	600
Trade: 19	Paint & Wallpaper		201
EFA-			
cracked or are loose, a painted sur method. P	PREP & PAINT VACANT ROOM w/ PAINTED TRIM-LOW VOC  safe work practices remove & dispose of all loose material & dust prior to installation of new m loose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plas resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white &	ter & lath boards iing a lead-based n or a wet sandin & walls in eggshe	g    
Using lead cracked or are loose, a painted sur method. P or satin finiting. Apainting. Apatick colors g/L; Floor 1 Manageme	VOC safe work practices remove & dispose of all loose material & dust prior to installation of new material work practices remove & dispose of all loose material & dust prior to installation of new material work provided in the properties of the provided with a bedding coat of Durabond & fiberglass mesh tape. If plas resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & sh cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing paply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and sealants must comply with the proof of the south coast All caulks and seal	ter & lath boards ling a lead-based or a wet sandin & walls in eggshe painted trim prior of the owner fro g/L; Non-flats 50 Air Quality	g          to 
Using lead cracked or are loose, a painted sur method. P or satin fini- painting. Ap stock colors g/L; Floor 1 Manageme Rule 51, of	VOC safe work practices remove & dispose of all loose material & dust prior to installation of new material work practices remove & dispose of all loose material & dust prior to installation of new material work places are resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & ish cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing poply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 to g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast All paints are the south Coast All paints and primers must not exceed the following maximum VOC requirements: Flats 50 to g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast All paints are the coast All paints and primers must not exceed the following maximum VOC requirements: Flats 50 to g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice of the south Coast All paints are the choice	ter & lath boards ling a lead-based or a wet sandin & walls in eggshe painted trim prior of the owner fro g/L; Non-flats 50 Air Quality	g          to 
Using lead cracked or are loose, a painted sur method. P or satin finipainting. Al stock colors g/L; Floor 1 Manageme Rule 51, of PATCH WA	safe work practices remove & dispose of all loose material & dust prior to installation of new mose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plas resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & ish cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing peply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast A ant District. www.aqmd.gov/rules/reg/reg/11/r1168.pdf All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING	ter & lath boards ling a lead-based or a wet sandin & walls in eggshe painted trim prior of the owner fro g/L; Non-flats 50 Air Quality	g          to 
Using lead cracked or are loose, a painted sur method. P or satin finipainting. Apstock colors g/L; Floor 1 Manageme Rule 51, of PATCH WA	safe work practices remove & dispose of all loose material & dust prior to installation of new material with a bedding coat of Durabond & fiberglass mesh tape. If plas resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoint face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & sh cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing poply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast A ant District. www.aqmd.gov/rules/reg/reg/11/r1168.pdf. All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING  Floor Coverings	ter & lath boards ling a lead-based or a wet sandin & walls in eggshe painted trim prior of the owner fro g/L; Non-flats 50 Air Quality	g II to m
Using lead cracked or are loose, a painted sur method. P or satin finiting. All stock colors g/L; Floor 1 Manageme Rule 51, of PATCH WATTAGE: 20  5922 Install 1/4" center allov	safe work practices remove & dispose of all loose material & dust prior to installation of new mose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plas resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & ish cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing peply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast A ant District. www.aqmd.gov/rules/reg/reg/11/r1168.pdf All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING	ter & lath boards ling a lead-based n or a wet sandin k walls in eggshe painted trim prior of the owner fro g/L; Non-flats 50 Air Quality h Regulation 8,  taples, 6" on lum or Armstrong	g      to  m  }
Using lead cracked or are loose, a painted sur method. P or satin finiting. All stock colors g/L; Floor 1 Manageme Rule 51, of PATCH WATTAGE: 20  5922 Install 1/4" center allov	safe work practices remove & dispose of all loose material & dust prior to installation of new most loose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plast resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & she cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing purply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / (100 g/L; Anti-corrosive 250 g	ter & lath boards ling a lead-based n or a wet sandin k walls in eggshe painted trim prior of the owner fro g/L; Non-flats 50 Air Quality h Regulation 8,  taples, 6" on lum or Armstrong	g      to  m  }
Using lead cracked or are loose, a painted sur method. P or satin finipainting. Apstock colors g/L; Floor 1 Manageme Rule 51, of PATCH W/Frade: 20  5922 Install 1/4" center allow Marmorette frade: 23  7583	safe work practices remove & dispose of all loose material & dust prior to installation of new molecular modes of plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plast resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & shout-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing peply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 tong g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast A ant District. www.aqmd.gov/rules/reg/freg/11/r1168.pdf. All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING  Floor Coverings  UNDERLAYMENT & LINOLEUM SHEET GOODS  Floor Coverings  Floor Coverings  UNDERLAYMENT & LINOLEUM SHEET GOODS  Floor Coverings	ter & lath boards ling a lead-based n or a wet sandin & walls in eggshe painted trim prior e of the owner fro g/L; Non-flats 50 Air Quality h Regulation 8,  taples, 6" on hum or Armstrong f color.	g      to  m  }
Using lead cracked or are loose, a painted sur method. P or satin finipainting. Al stock colors g/L; Floor 1 Manageme Rule 51, of PATCH WA rade: 20  5922 Install 1/4" center allow Marmorette frade: 23  7583 Replace ex	safe work practices remove & dispose of all loose material & dust prior to installation of new moleose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plast resecure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & shout-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing peply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 to g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast / ant District, www.aqmd.gov/rules/reg/reg/11/r1168.pdf. All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING  Floor Coverings  UNDERLAYMENT & LINOLEUM SHEET GOODS  60.00 SF  underlayment grade plywood using 7d screw shank or cement coated nails, or narrow crown swing a 1/4" gap at wall. Fill seams with a manufacturer approved filler. Install Forbo's Marmole a linoleum sheet goods, per manufacturer's most current recommendations. Owner's choice of Electric	ter & lath boards ling a lead-based n or a wet sandin & walls in eggshe painted trim prior e of the owner fro g/L; Non-flats 50 Air Quality h Regulation 8,  taples, 6" on hum or Armstrong f color.	g      to  m  }
Using lead cracked or are loose, a painted sur method. P or satin finipainting. Al stock colors g/L; Floor 1 Manageme Rule 51, of PATCH WA rade: 20  5922 Install 1/4" center allow Marmorette frade: 23  7583 Replace ex	safe work practices remove & dispose of all loose material & dust prior to installation of new moleose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plaster is to be repaired with a perportiate procedures such as using a HEPA filtered sanding or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding or adjoin face shall be done with a paints of a to come to be such as using a HEPA filtered sanding or adjoin face shall be done with a paints and windows by de-glossing is to cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing bis neather a windows by de-glossing be playly with coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice of and paints and primers must not exceed the following maximum VOC requirements: Flats 50 too glossing for gently. All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING  Floor Coverings  UNDERLAYMENT & LINOLEUM SHEET GOODS  60.00 SF  underlayment grade plywood using 7d screw shank or cement coated nails, or narrow crown swing a 1/4" gap at wall. Fill seams with a manufacturer approved filler. Install Forbo's Marmole elinoleum sheet goods, per manufacturer's most current recommendations. Owner's choice of Electric  REPLACE RECEPTACLE WITH GFCI DEVICE  1.00 EA disting receptacle with an ivory surfaced mounted ground fault circuit interrupt receptacle with in	ter & lath boards ling a lead-based n or a wet sandin & walls in eggshe painted trim prior e of the owner fro g/L; Non-flats 50 Air Quality h Regulation 8,  taples, 6" on hum or Armstrong f color.	g      to  m  }
Using lead cracked or are loose, a painted sur method. P or satin finipainting. Al stock colors g/L; Floor 1 Manageme Rule 51, of PATCH W/Frade: 20  5922 Install 1/4" center allow Marmorette frade: 23  7583 Replace ex DEFECTIV  7814 Install a cel capable of expanding sur methods.	Safe work practices remove & dispose of all loose material & dust prior to installation of new moleose plaster is to be repaired with a bedding coat of Durabond & fiberglass mesh tape. If plaster sescure or remove & replace with drywall patch. Sanding of any surfaces contacting or adjoin face shall be done with appropriate procedures such as using a HEPA filtered sanding vacuum rime as necessary to seal stains, raw plaster, etc. Paint ceilings two coats in flat ceiling white & ish cut-in neatly to trim & at all corners & edges. Prep trim doors and windows by de-glossing peply two coats of latex semi-gloss paint to cover completely & uniformly. Colors are the choice s. All paints and primers must not exceed the following maximum VOC requirements: Flats 50 to g/L; Anti-corrosive 250 g/L. All adhesives must comply with Rule 1168 of the South Coast A ant District. www.aqmd.gov/rules/reg/reg11/r1168.pdf. All caulks and sealants must comply with the Bay Area Air Quality Management District (BAAQMD).  ALLS AND CEILING PRIOR TO PAINTING  Floor Coverings  UNDERLAYMENT & LINOLEUM SHEET GOODS  60.00 SF underlayment grade plywood using 7d screw shank or cement coated nails, or narrow crown swing a 1/4" gap at wall. Fill seams with a manufacturer approved filler. Install Forbo's Marmole elinoteum sheet goods, per manufacturer's most current recommendations. Owner's choice of Electric  REPLACE RECEPTACLE WITH GFCI DEVICE  1.00 EA disting receptacle with an ivory surfaced mounted ground fault circuit interrupt receptacle with in the GCI WITH NO POWER	ter & lath boards aling a lead-based or a wet sanding walls in eggshe painted trim prior of the owner from g/L; Non-flats 50 Air Quality h Regulation 8, taples, 6" on the owner from or Armstrong foolor.	gg    to m  )


Address: 3	8 Merwin Street	Ļ	Init: Unit 01	00000410.77000 1-17 4-14-1 <sub>4-1</sub> 00		
Location:	9 - 2nd Fi Interior Rooms	Арг	orox. Wall SF; 0		Ceiling/Floor SF	: 0
Spec#	Spec		Quantity	Units	Unit Price	Total Price
Trade: 1	0 Carpentry					
2820 Field mea	ALUMINUM SCREEN & FRA		8.00	EA		800
LIVING F DINING I KITCHEN	VING LOCATION: ROOM (2) ROOM (1) N (2) EDROOM (3)					
3184	DOOR PREHUNG METAL	ENTRANCE ENERGY STAR	1.00	EA	***************************************	<u>1,100</u>
		I 36" insulated prehung steel door, I keyed to match the deadbolts of c		es, clear l	ow e glass, a	•
FRONT F	PORCH DOOR					
Trade: 1	9 Paint & Wallpaper					
5567	PREP & PAINT VACANT RO	OM w/ PAINTED TRIM-LOW	2.00	RM		4100
painted si method. or satin fil painting. A stock cold g/L; Floor Managem Rule 51, c	urface shall be done with appropri- Prime as necessary to seal stains nish cut-in neatly to trim & at all co Apply two coats of latex semi-glos ors. All paints and primers must no 100 g/L; Anti-corrosive 250 g/L. A nent District. www.aqmd.gov/rules/ of the Bay Area Air Quality Manager	h drywall patch. Sanding of any state procedures such as using a HE raw plaster, etc. Paint ceilings two mers & edges. Prep trim doors and paint to cover completely & unifor exceed the following maximum V is adhesives must comply with Rule reg/reg11/r1168.pdf All caulks and ement District (BAAQMD).	PA filtered sanding coats in flat ceiling dwindows by de-glomly. Colors are the OC requirements; Fa 1168 of the South	vacuum o white & w essing pal choice of lats 50 g/ Coast Air	or a wet sanding valls in eggshell nted trim prior to fithe owner from L; Non-flats 50 Quality	
	OOM WALLS & CEILING ND FL. FRONT HALL/STAIRCAS	E				
5570	PREP & PAINT OCCUPIED F	ROOM	1.00	RM	H-1-1	800
repaired v replace w sections e	with a bedding coat of Durabond & ith drywall patch. Repair all trim a	re, personal Items not to be painted fiberglass mesh tape. If plaster & l s necessary w/ a stainable wood fil ceiling, walls, doors & windows wi racuum room.	ath boards are loose Ier shaped & sanded	e, resecur I to matcl	e or remove & r existing cross	
REAR BE REMOVE		3. REPAIR WALLS AND CEILING.				
Trade: 23	B Electric					
7565	INSTALL RECEPTACLE15	AMP	4.00	ΕA	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	510
	ivory, duplex, 15 amp receptacle a Ilic (NM) cable. Fish wire and repa	nd ivory cover plate at least 15" ab ilr all tear out,	ove floor level using	copper 1	2-3	RPERFORMANCE AND ADMINISTRAL ADMINISTRAL PROPERTY.
FOLLOWI	ING LOCATIONS:					
	OOM (2) EDROOM (1) DROOM (1)					
	ENERGY STAR INTERIOR C Energy Star approved, flush moun 815-123-W.	EILING FIXTURE led ceiling light fixture using a GU2	1.00 4 Base lamp such a	EA s the Effic	cient Lighting	175
FRONT B	EDROOM (NO POWER)		A	n.		

cation:	9 - 2nd Fl Interior Rooms	Approx. Wall SF: 0		Celling/Floor	SF: 0
Spec#	Spec	Quantity	Units	Unit Price	Total Price
ade: 23	Electric				
and outlets	ELECTRICCUSTOM used electrician inspect/test and replace with no power thru out house. G LOCATIONS:	8.00 e all 2-prong ungrounded outlets, replace all 3	EA prong op	en ground outle	<i>860</i> ets
LIVING ROO DINING RO FRONT BEI	DM (1 ) No power (1) OG OM (2) No power DROOM (2) No power ROOM (1) No power (1) OG				1240
		1	ocation	Total:	6345
cation:	10 - 1st Fl Kitchen	Approx, Wall SF: 0		Celling/Floor	SF: 0
Spec#	Spec	Quantity	Units	Unit Price	Total Price
ade: 10	Carpentry				
2980	WINDOWVINYL DBL HNG DBL G		EA	ding coroon	650
caulk, interio	re, order and install a vinyl, double hul or casing and exterior trim. Install half	ng, double glazed, one-over-one window and ja screen.	illin illicin	ung soreen,	
3350 Install a solid DOOR TO F		E 1.00 Include privacy lockset and 2 butt hinges.	EA	***************************************	770
3726	CABINET - WOOD WALL-PLYWOO	D 6,50	LF		2,306
installed to o soffit. Instal Carcasses v finger groove	ceiling OR b) will be 36" trimmed with a I upper cabinets constructed of solid havil be joined using metal or plastic corruses exist. Owner will choose style & finites.	ets, counters, ledgers, etc. NOTE: Upper cabir is stained oak crown, OR c) will be 36" with a trip ardwood face-frames and doors with 1/2" plywoner bracing. Install "D" shaped pulls on all door ish from those available in line proposed by count) or all exposed edges must be sealed with a	mmed dry ood carca rs and dra ntractor. (	wall or plywoo sses & floors. awers even wh Cabinets must	
	" WALL CABINETS VALL CABINET ABOVE STOVE				-
3765	COUNTER TOPCUSTOM	. 3.00	LF		300
Resecure lo damage.	ose sink countertop to prevent movem	ent. Install missing end caps on side of counte	rtops to p	revent water	
ide: 23	Electric				
7840 Install a 30", of color.	RANGE HOODRECIRCULATING recirculating, enameled metal range h	1.00 lood with light, charcoal filter, and washable gre	EA ease filter	, Owner's cho	<u>5 20</u> ice
		1.00 e all 2-prong ungrounded outlets and repair/rep	EA lace all 3	prong open	150
grouna outle	lts thru out house.	L	.ocation	Total:	4,690
cation:	11 - 1st Fl Bath	Approx, Wall SF: 0	į	Celling/Floor	SF: 0
	Chan	Quantity	Units	Unit Price	Total Price
Spec#	Spec				

Address:	38	Merwin Street		Unit: Unit 01			<b>.</b> .
Location:		11 - 1st Fl Bath		Approx. Wall SF: 0		Ceiling/Floor SF	: 0
Spec	#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	17	Drywall & Plaster					***
Remo paint.	ve top Insta		existing surface with screws e. Butt drywall to door and w	45.00 8" on center and 3/8" adhesiv indow casing. Tape, 3 coat fir			1,300
Trade:	19	Paint & Wallpaper					
5567	***************************************		TROOM w/ PAINTED TRIM-	LOW 1.00	RM		600
cracke are to painte metho or sati paintir stock g/L; F Manae	ed or lose, red surled surled. Print finising. Apacolors loor 1 gemei	cose plaster is to be repaire esecure or remove & replace face shall be done with appliane as necessary to seal stance. It is nearly to trim & at a ply two coats of latex semistance. All paints and primers muo g/L; Anti-corrosive 250 gnt District. www.aqmd.gov/rathe Bay Area Air Quality Marea.	ed with a bedding coat of Dure with drywall patch. Sandir ropriate procedures such as ains, raw plaster, etc. Paint call corners & edges. Prep tringless paint to cover completest not exceed the following rule. All adhesives must comp	ial & dust prior to installation or babond & fiberglass mesh tape g of any surfaces contacting of using a HEPA filtered sanding cellings two coats in flat ceiling in doors and windows by de-glely & uniformly. Colors are the maximum VOC requirements: y with Rule 1168 of the South I caulks and sealants must cout).	e. If plaste or adjoining vacuum white & lossing pose choice Flats 50 of Coast A	er & lath boards ng a lead-based or a wet sanding walls in eggshell ainted trim prior to of the owner from g/L; Non-flats 50 ir Quality	
Trade:	20	Floor Coverings					820
nails, Install recom	or nar Forbo imend	aged floor under toilet area row crown staples, 6" on ce o's Marmoleum or Armstron ations. Owner's choice of c	enter allowing a 1/4" gap at w g Marmorette linoleum sheet	50.00 rade plywood using 7d screw : all. Fill seams with a manufac goods, per manufacturer's m	turer app	roved filler.	0 20
Trade:	23	Electric			r- 4		200
•	•	GFCI RECEPTACLE  n ground connection. Install y cover plate.	a new ivory GFCI receptacle	1.00 and required distribution with	EA an appro	opriate box and	
CURR	RENT	GCI HAS OPEN GROUND	CONNECTION.				
7819		FAN/LIGHT FIXTURE-EN	NERGY STAR	1.00	EA		700
QTXE fixture fan su http://v gaivan a meta ductwo	080FL must ch as www.e nized r al hoo- ork wi	T capable of min. 80 CFM accommodate 2 - GU24 flu the EFI Fan/Light Time Del energyfederation.org/consumetal duct the same diamet ded vent of like diameter ar	operating at 1 Sone or less, orescent lamps. Switch fan ay Switch part # 5100.505 (in mer/default.php/cPath/39_76 er as the fan oullet and vent ad with damper. All duct seatimum duct insulation. Repairment.	re, such as the NuTone QTRE with an integral damper, and v & light using a single switch v a Ivory) 6_134 or equipped with a hun to the exterior ideally through ms shall be sealed with duct m r any damage to the ceiling in	vented to vith a time nidistat so a wall or nastic. In	the exterior. The e delay for the ensor. Install gable end using isulate the	
	-			1.00 vith an integral thermostat on t	EA the exteri	or wall. Include	<u>600</u>
			•	L	ocation	Total:	220
Location:		12 - 1st Fi Interior Roor	ns	Approx, Wall SF: 0		Ceiling/Floor SF	, : 0
Spec f	#	Spec		Quantity	Units	Unit Price	Total Price
	•			A (		I	Page 11 of 13

_ocation:	12 - 1st Fi Interior Rooms		The second secon	and the second of the second of the second
Spec #	Spec	Quantity	Units Unit Price	Total Price
rade: 10	Carpentry		vande (Antonia de Caración de	1 (0)
caulk, inter	WINDOWVINYL DBL HNG DBL GLZ sure, order and install a vinyl, double hung, of ior casing and exterior trim. Install half scre NG LOCATIONS:		EA mb including screen,	6 <u>,500</u>
MIDDLE B	<b>`</b>			
rade: 17	Drywall & Plaster			
5355	PATCH PLASTER CEILING/PAINT	1.00	RM	700
wood is no	amaged plaster. Cut out cracks 1/4" wide ir t reusable. Apply basecoat, allowing at leas vith flat latex paint EDROOM	n a vee joint. Renail all loose lath. Install 1/ st 1/16" for finish coat. After 24 hour cure, ag	8" flat rib metal lath whe oply finish coat. Prime	ere
	Paint & Wallpaper			
rade: 19 5570	PREP & PAINT OCCUPIED ROOM	1.00	RM	2,100
	co cita toban and animal anima	pot prime & top coat trim, ceiling, walls, doo	IS & WITHOUS WITH	
REAR BED	pice of premixed acrylic latex. Include any c	losets. Replace furniture and vacuum room	is a withows with	
REAR BEI REMOVE I	pice of premixed acrylic latex. Include any c DROOM	losets. Replace furniture and vacuum room	is & withows with	
REAR BED REMOVE I rade: 20 5920 Repair floo crown stap composite	Dice of premixed acrylic latex. Include any control of the premixed acrylic latex. Include any control of the premixed acrylic latex. REPAIR Floor Coverings  UNDERLAY AND LAMINATE FLOORING of any holes. Install 1/4" underlayment grates, 6" on center allowing a 1/4" gap at wall. Included the premixed across the premixed across acress the premixed across the premixe	losets. Replace furniture and vacuum room  WALLS AND CEILING.  G 650.00  ade plywood using 7d screw shank or cemel Fill seams with a manufacturer approved foliude metal edge strips at openings, and sho	SF nt coated nails, or narro	6,500 w
REAR BED REMOVE I ade: 20 5920 Repair floo crown stap composite base aroun	pice of premixed acrylic latex. Include any concord DROOM EXPOSED FRAMING MEMBERS. REPAIR Floor Coverings  UNDERLAY AND LAMINATE FLOORIN of any holes. Instail 1/4" underlayment grates, 6" on center allowing a 1/4" gap at wall, laminated flooring. Square to room axis. Include perimeter. Owner's choice of in-stock colors LOCATIONS:	losets. Replace furniture and vacuum room  WALLS AND CEILING.  G 650.00  ade plywood using 7d screw shank or cemel Fill seams with a manufacturer approved foliude metal edge strips at openings, and sho	SF nt coated nails, or narro	6,500
REAR BED REMOVE I ade: 20  5920 Repair floo crown stap composite base aroun FOLLOWIN LIVING RO MIDDLE BI REAR BED	pice of premixed acrylic latex. Include any concord DROOM EXPOSED FRAMING MEMBERS. REPAIR Floor Coverings  UNDERLAY AND LAMINATE FLOORIN of any holes. Instail 1/4" underlayment grates, 6" on center allowing a 1/4" gap at wall, laminated flooring. Square to room axis. Include perimeter. Owner's choice of in-stock colors LOCATIONS:	losets. Replace furniture and vacuum room  WALLS AND CEILING.  G 650.00  ade plywood using 7d screw shank or cemel Fill seams with a manufacturer approved foliude metal edge strips at openings, and sho	SF nt coated nails, or narro	6,500 w
REAR BED REMOVE I rade: 20 5920 Repair floo crown stap composite base aroun FOLLOWIN LIVING RO MIDDLE BI REAR BED	pice of premixed acrylic latex. Include any concord DROOM EXPOSED FRAMING MEMBERS. REPAIR Floor Coverings  UNDERLAY AND LAMINATE FLOORIN of any holes. Instail 1/4" underlayment grates, 6" on center allowing a 1/4" gap at wall, laminated flooring. Square to room axis. Include perimeter. Owner's choice of in-stock colors LOCATIONS: HOM EDROOM PROOM	losets. Replace furniture and vacuum room  WALLS AND CEILING.  G 650.00  ade plywood using 7d screw shank or cemel Fill seams with a manufacturer approved foliude metal edge strips at openings, and sho	SF nt coated nails, or narro	6,50C
REAR BED REMOVE I rade: 20  5920 Repair floo crown stap composite base aroun FOLLOWIN LIVING RO MIDDLE BI REAR BED CLOSETS ade: 23  7565 Install an iv	pice of premixed acrylic latex. Include any corona proof of premixed acrylic latex. Include any corona proof of any holes. Install 1/4" underlayment grates, 6" on center allowing a 1/4" gap at wall. laminated flooring. Square to room axis. Include perimeter. Owner's choice of in-stock colors and LOCATIONS: 100M EDROOM PROOM ARE INCLUDED IN ALL FLOORING	WALLS AND CEILING.  G 650,00  ade plywood using 7d screw shank or cemerall seams with a manufacturer approved follude metal edge strips at openings, and short.  4.00  over plate at least 15" above floor level using	SF nt coated nails, or narro iller. Lay Vinyl or wood ne molding or 4" vinyl	6,50C
REAR BED REMOVE I  ade: 20  5920 Repair floo crown stap composite base aroun FOLLOWIN LIVING RO MIDDLE BI REAR BED CLOSETS ade: 23  7565 Install an iv non-metalli FOLLOWIN	DICE OF premixed acrylic latex. Include any concord DROOM EXPOSED FRAMING MEMBERS. REPAIR Floor Coverings  UNDERLAY AND LAMINATE FLOORING of any holes. Install 1/4" underlayment grates, 6" on center allowing a 1/4" gap at wall. laminated flooring. Square to room axis. Include perimeter. Owner's choice of in-stock colors. Install COCATIONS: OM EDROOM PROOM ARE INCLUDED IN ALL FLOORING Electric  INSTALL RECEPTACLE15 AMP Tory, duplex, 15 amp receptacle and ivory concord (NM) cable. Fish wire and repair all tear of the color of the co	WALLS AND CEILING.  G 650,00  ade plywood using 7d screw shank or cemerall seams with a manufacturer approved follude metal edge strips at openings, and short.  4.00  over plate at least 15" above floor level using	SF nt coated nails, or narro iller. Lay Vinyl or wood ne molding or 4" vinyl	<u>690</u>
REAR BED REMOVE I  ade: 20  5920 Repair floo crown stap composite base aroun FOLLOWIN LIVING RO MIDDLE BI REAR BED CLOSETS ade: 23  7565 Install an iv non-metalli FOLLOWIN MIDDLE BI REAR BED 7730 Replace a	DICE OF premixed acrylic latex. Include any control of the premixed acrylic latex. Include any control of the premixed acrylic latex. Include any control of the premixed acrylic lates, 6" on center allowing a 1/4" gap at wall. It is a laminated flooring. Square to room axis. Included a laminated flooring. Square to room axis. Included perimeter. Owner's choice of in-stock colors. Included a laminated flooring. Included a laminated flooring. Square to room axis. Included in laminated flooring. Square to room axis. Included in laminated flooring. Included in laminated flooring. Included in laminated flooring in laminated flooring. Included in laminated flooring in laminated flooring. Included in laminated flooring in laminated flooring. Included in laminated flooring. Included in laminated flooring in laminated flooring. Included in lam	WALLS AND CEILING.  G 650,00  ade plywood using 7d screw shank or ceme Fill seams with a manufacturer approved follude metal edge strips at openings, and short.  4.00  ever plate at least 15" above floor level using out.	SF  nt coated nails, or narro iller. Lay Vinyl or wood be molding or 4" vinyl  EA  copper 12-3	690 130
REAR BED REMOVE I  ade: 20  5920  Repair floo crown stap composite base aroun FOLLOWIN LIVING RO MIDDLE BI REAR BED CLOSETS ade: 23  7565 Install an iv non-metalli FOLLOWIN MIDDLE BI REAR BED 7730 REPIACE A G REAR BED	DICE OF premixed acrylic latex. Include any control of the premixed acrylic latex. Include any control of the premixed acrylic latex. Include any control of the premixed acrylic lates, 6" on center allowing a 1/4" gap at wall. It is a laminated flooring. Square to room axis. Included a laminated flooring. Square to room axis. Included perimeter. Owner's choice of in-stock colors. Included a laminated flooring. Included a laminated flooring. Square to room axis. Included in laminated flooring. Square to room axis. Included in laminated flooring. Included in laminated flooring. Included in laminated flooring in laminated flooring. Included in laminated flooring in laminated flooring. Included in laminated flooring in laminated flooring. Included in laminated flooring. Included in laminated flooring in laminated flooring. Included in lam	WALLS AND CEILING.  G 650,00  ade plywood using 7d screw shank or ceme Fill seams with a manufacturer approved follude metal edge strips at openings, and short.  4.00  ever plate at least 15" above floor level using out.	SF  nt coated nails, or narro iller. Lay Vinyl or wood be molding or 4" vinyl  EA  copper 12-3	690 130

Address:	38	Merwin Street	Unit: Unit 01	
Location:		12 - 1st Fl Interior Rooms	Approx. Wall SF: 0	Ceiling/Floor SF; 0
Spec	#	Spec	Quantity Units	Unit Price Total Price
Trade:	23	Electric		
groun FOLL	d outl OWIN	els thru out house. IG LOCATIONS; ROOM (2) OG	all 2-prong ungrounded outlets and repair/replace all 3 pro	16,930
			Unit Total for 38 Merwin Street, Unit Unit Address Grand Total for 38 Merwin St	1-24-5-9



Disaster Recovery 1600 E. Columbus Avenue Springfield, MA 01103 Phone (413) 750-2114



# THE CITY OF SPRINGFIELD, MASSACHUSETTS

Date: 12/08/2020

Project Address: 38 Merwin Street Program: Healthy Homes Program

#### Redundant Items:

Pg 10 of 13

2980 Window—Vinyl Dbl Hng Dbl Glz 1st Floor Kitchen

Kitchen Window Count also identified on Pg 12 of 13 2980 Window—Vinyl Dbl Hng Dbl Glz 1<sup>st</sup> Fl Interior Rooms

#### Missing Items:

Pg 3 of 13

905 Concrete Slab Patch

Could not locate this area. Entire slab area abutting the driveway appears to be in good condition

Please provide in your bid, pricing to remove and replace 25 Sq. Ft. of concrete slab. We will work with the awarded contractor to identify this area and will credit back as needed.

Pg 5 of 13 6415 Dryer Vent

Could not locate a dryer within the basement area

Please identify this scope within your bid.

We will work with the awarded contractor to identify this area and will credit back as needed.

#### Questionable item

Pg 5 of 13 6015 HVAC Adjust Service and Clean

### **MORTGAGE**

City of Springfield Healthy Homes Rehabilitation Program

THIS	MORT	GAGE	is	made	as	of	June			7,	2021,	
	Ange	ela M. Bo	orges				whose	address	is	38	Merwin S	Street,
. –										d, a mւ	unicipal c	orporation
with t	ne addr	ess 36 C	ourt :	Street, S	pring	gfield,	Massac	husetts ("	City").			
WHER	EAS, th	e Borro	wer	and th	e Cit	ty ent	ered in	to a HEA	ALTHY	номе	S REHAB	ILITATION
PROG	RAM A	GREEME	NT c	lated <u>J</u> ւ	ine 7,	2021	ir	the sum	of <u>\$1</u>	22,452	.00	(the
Princip	oal Amo	unt"), to	ogeth	er with	inter	est of	0%, (thi	s indebte	dness is	called	the " <b>No</b> t	te", a copy
of whi	ch is att	ached to	o this	Mortga	age as	s Sche	dule A);	and				
obliga title, <u>0110</u>	tions of and into 5 in	the No erest in	te an the ield,	d this N proper	/lortg ty lo	age, t cated	he Borr	ower wish 38 Mery	nes to g <u>vin Stre</u>	grant to et	o the City , Spring	ditions and this rights, gfield, MA ale B (the
		,						e Principa follows:	l Amou	nt mac	le by the	City to the
1.	Borrov detaile respor Princip	wer for ted in the edinsible fo	the poor ma or ma uch in	urpose o <b>rk Writ</b> o aking th	of ma e <b>-Up</b> e im	king h <b>Speci</b> prove	iome im fication ments,	provements datedand the (	nts to th 10/28 City sha	ne Mor /20 ill only	tgaged P The B make p	City to the roperty, as corrower is ayment of nents have
2.		Proper	<b>pon</b> ty be	<b>Sale or</b> fore the	fina	l matu	irity dat		ount of	the lo	an still ov	Mortgaged wing at the /.
	b.	entere	d inte	o, the B	orrov	ver m	ust con		ive in tl	ne Moi	rtgaged P	this loan is Property as

c. Rental Unit Affordability. If the Borrower (including a Borrower who lives in one unit of a multi-unit property) rents out units in the Mortgaged Property to others, the Borrower must rent all units in the Mortgaged Property to households with income at or below 80% of the area median income<sup>1</sup> during the term of the loan.

#### 3. Terms of the Loan

Loan Type: Forgivable loan, due upon default or upon

sale or transfer of property prior to final maturity

Interest Rate: 0%

Payment Schedule: No monthly payments

Final Maturity Date: 5 years from date of execution

Forgiveness: An equal amount of the loan will be forgiven for each year

that passes from the date the loan is entered, until the

loan is fully forgiven at the final maturity date.

(For example, a 5-year loan is forgiven 20% per year;

a 10-year loan is forgiven 10% per year.)

Prepayment penalty: None

- 4. Completion of Agreed-Upon Improvements. If construction required to meet the Work Write-Up Specifications is discontinued or not carried out with reasonable diligence, the City after due notice to the Borrower is authorized to enforce or carry out existing contracts between the Borrower and other parties to make contracted improvements, to make and enter into additional contracts and incur obligations for the purposes of completing the improvements, and to pay and discharge all debts, obligations and liabilities incurred by reason of any action taken by the City, the cost of which shall be payable from the Borrower to the City on demand and shall be secured by this Mortgage.
- 5. **Compliance with Building and Health Codes.** The improvements shall comply with all applicable municipal and state ordinances, laws, regulations, and rules made or promulgated by lawful authority, and upon their completion shall comply therewith and with the rules of the Board of Fire Underwriters having jurisdiction.
- 6. Payment of Property Taxes and Other Charges. The Borrower will pay when due all taxes, assessments, water & sewer charges, and other governmental charges, fines and impositions, now or hereafter imposed, on the Mortgaged Property and will pay when due every amount of indebtedness secured by any lien on the Mortgaged Property.

<sup>&</sup>lt;sup>1</sup> The area median income (AMI) for the Springfield Metropolitan Area is established annually by the U.S. Department of Housing and Urban Development. The Springfield Office of Housing will provide the current AMI for the Springfield Metropolitan area upon request.

7. **Maintenance and Repair**. The Borrower shall maintain the Property and shall not allow the property to deteriorate or decrease in value due to its condition. If the Property is damaged, the Borrower shall promptly repair the Property to avoid further deterioration or damage, unless repair or restoration is not economically feasible. The Borrower shall not commit waste or permit others to permit actual, permissive, or constructive waste on the Property.

#### 8. Property Insurance.

a. Maintenance of Insurance. The Borrower shall keep the Property insured against loss by fire, earthquakes, floods, hazards included within the term "extended coverage," and any other hazards for which the City requires insurance. The insurance amounts (including deductible levels) and periods and the insurance carrier shall be subject to the City's approval. Unless otherwise required by the City, all such insurance shall be effected by Standard Fire and Extended Coverage Insurance policies, in amounts not less than necessary to comply with the coinsurance clause percentage of the value applicable to the location and character of the property to be covered.

All such property insurance shall be in such form and shall have attached loss payable clauses in favor of the City. All such policies and attachments shall be delivered promptly to the City, unless they are required to be delivered to the holder of a lien of a mortgage or similar instrument to which this Mortgage is expressly subject, in which case a certificate of insurance shall be delivered to the City. The Borrower will pay any and all premiums on such insurance promptly when due.

b. City Rights to Payment for Loss or Damage. In the event of loss or damage to the mortgaged property, the Borrower will give to the City immediate notice of the event and the City may make and file proof of loss if not made otherwise promptly by or on behalf of the Borrower. Each insurance company issuing any such policy is authorized and directed to make payment under the policy for such loss to the Borrower and the City jointly, unless the amount of loss is payable first to the holder of a lien under a mortgage or similar instrument to which this Mortgage is expressly subject. Insurance proceeds received by the City may be applied, at the City's option, either in reduction of the indebtedness secured by this Mortgage, or to the restoration or repair of the damaged Mortgage Property.

- 9. **Rights of City as Lender**. If the Borrower fails to carry out the covenants and agreements set forth in this mortgage, the City may do and pay for whatever is necessary to protect the value of and the City's rights in the property, and any amounts so paid shall be added to the Principal amount due to the City hereunder
- 10. **Inspection.** The City shall have the right to inspect the Mortgaged Property from time to time at any reasonable hour of the day.
- 11. Acceleration upon Default. If any condition of this Mortgage shall be in default, the entire outstanding balance of the Principal Amount shall become immediately due and payable at the option of the City. The City shall be entitled to collect all costs and expenses, including reasonable attorney's fees incurred. If the City exercises its option to require immediate payment of the balance of funds secured by this Mortgage, the City shall give Borrower notice of acceleration. This notice shall provide a period of not less than 30 days from the date the notice is delivered or mailed within which Borrower must pay all remaining sums secured by the Mortgage.

The following "events of default" will cause the Note to be immediately due and payable:

- a. The Borrower's nonperformance of any covenant, agreement, term, or condition
  of this Mortgage or of the Note, after the Borrower has been given due notice by
  the City of such nonperformance;
- b. The Borrower's failure to perform any covenant, agreement, term, or condition in any Mortgage or instrument creating a lien upon the Mortgaged Property, which lien shall have priority over the lien of this mortgage;
- c. The City's discovery that the Borrower failed to disclose in the Borrower's application for funds any fact deemed to be material by the City, or that the Borrower made any misrepresentations in the application or in any agreements entered into between the Borrower and the City (including but not limited to, the Note and this Mortgage);
- d. The sale, lease or other transfer of any kind or nature of the Mortgaged Property, or any part thereof, without the prior written consent of the City.
- 12. No waiver. No party shall be deemed to have waived any provision of this Mortgage or the exercise of any rights under this Mortgage unless such waiver is made expressly and

in writing. Waiver by any party of a breach or violation of any provision of this Mortgage shall not constitute a waiver of any other subsequent breach or violation.

13. **Surrender after Default**. If the Borrower defaults, and upon demand from the City, the Borrower shall immediately surrender possession of the Mortgaged Property to the City, and the City may enter such property, rent out and collect rent from Mortgaged Property units, and apply rental income to the indebtedness secured by this Mortgage. The City may also dispossess, by usual summary proceedings, any tenant defaulting in the payment of any rent to the City. The Borrower shall cooperate and facilitate any summary process proceedings under this paragraph.

If the Borrower continues to occupy the Mortgaged Property after default and City demand to surrender, such possession shall be as a tenant of the City, and the Borrower shall pay in advance upon demand by the City, a reasonable monthly use and occupancy fee for the premises occupied by the Borrower, and upon the failure of the Borrower to pay such monthly fee, the Borrower may also be disposed by the usual summary proceedings applicable to tenants.

This covenant shall become effective immediately upon the happening of any such default, as determined in the sole discretion of the City, who shall give notice of such determination to the Borrower; and in the case of foreclosure and the appointment of a receiver of the rents, the within covenant shall insure to the benefit of such receiver.

14. **Notice of Change of Ownership**. The Borrower will give immediate notice by certified mail, return-receipt requested, to the City of any conveyance, transfer or change in ownership of such property, or any part thereof.

#### 15. No Assignment of Rents.

The Borrower will not assign the rents, if any, in whole or in part, from the mortgaged property, or any part thereof, without the prior written consent of the City.

- 16. **Notice**. Notice and demand or request shall be made in writing and may be served in person or by mail.
- 17. Waiver of Homestead Exemption. The Borrower hereby waives the benefit of all homestead exemptions, as to the debt secured by this Mortgage and as to any expenditure for insurance, taxes, levies, assessments, dues or charges incurred by the City pursuant to any provision of this Mortgage.

- 18. City Right to Nonjudicial Foreclosure. This Mortgage is upon the STATUTORY CONDITION, for any breach of which, or for breach of any of the aforementioned provisions or conditions, the City may declare all sums secured hereby immediately due and payable, and the City shall have the STATUTORY POWER OF SALE.
- 19. **Joint and several liability**. If the Borrower, as defined herein, consists of two or more parties, this Mortgage shall constitute a grant and mortgage by all of them jointly and severally, and they shall be obligated jointly and severally under all the provisions hereof and under the Note.
- 20. **Discharge**. Upon payment in full by the Borrower of the Note and any other instruments secured by this Mortgage, this Mortgage shall be terminated, and the City shall provide the Borrower the appropriate notice of termination.

IN WITNESS THEREOF this mortgag or as of the day and year first above writte BY:  Angela M. Borges  Borrower	e has been duly signed and sealed by the Borrower on n.  Witness Cornelius W. Phillips
Commonwe	ealth of Massachusetts
Hampden, ss	June 7 ,
2021	
Angela M. Borges proved which was MA Drivers License name is signed on the preceding or attack signed it voluntarily for its stated purpose.	cial signature and seal of notary).
	Notary Public: Cornelius W. Phillips
Cornelius W. Phillips Notary Public COMMONWEALTH OF MASSACHUSETTS	My Commission Expires: December 19, 2025

My Commission Expires December 19,2025

The note secured by this Mortgage has:	·
A principal sum of \$\frac{122,452.00}{\text{A rate of interest of Zero (0%) percent.}}	
The sum of \$ 122,452.00 with interest thereon at a rate of Zero is due and payable upon sale, lease or other transfer of any kind of the property, or any part thereof without the prior written consent of the City, or by will or by operation of the laws of descent and distribution.	above-referenced

# SCHEDULE A PROMISSORY NOTE

pringfield, Massachusetts
roperty Address: 38 Merwin Street , Springfield, MA 01105
. BORROWERS' PROMISE TO PAY
n return for a loan that I have received, I, <u>Angela M. Borges</u> ("Borrower"), promis o pay \$ <u>122,452.00</u> (this amount is called "Principal"), without interest, to the <b>City c</b>
pringfield, a Massachusetts municipal corporation with a usual address of 36 Court Stree
pringfield, Massachusetts 01103 ("City").
. INTEREST

#### 3. TIME AND PLACE OF PAYMENTS

Interest will not be charged on unpaid principal.

No monthly payments are due. If there is no default on the loan, the Principal shall be forgiven at an equal percentage rate per year until it is 100% forgiven at the end of the fifth year.

#### 4. BORROWER'S RIGHT TO PREPAY

I have the right to make payments of principal at any time before they are due. A payment of principal only is known as a "prepayment." When I make a prepayment, I will tell the City in writing that I am doing so.

I may make a full prepayment or partial prepayments without paying any prepayment charge. The City will use all of my prepayments to reduce the amount of principal that I owe under this Note. If I make a partial prepayment, there will be no changes in the due date or in the amount of my payment unless the City agrees in writing to those changes.

#### 6. BORROWER DEFAULT

(A) Default If I am in default of or breach of the Healthy Homes Rehabilitation Program Agreement ("Program Agreement") or the Mortgage, both dated the same date as this Note, and if I do not cure any default or breach within any applicable cure period, then I will be in default of this Note.

- (B) Notice of Default If I am in default, the City may send me a written notice telling me that if I do not come into compliance with the Program Agreement and Mortgage by a certain date, the City may require me to pay immediately the full amount of principal I owe.
- (C) No Waiver by City Even if, at a time when I am in default, the City does not require me to pay immediately in full as described above, the City will still have the right to do so if I am in default at a later time.
- (D) Payment of City's Costs and Expenses If the City has required me to pay immediately in full as described above, the Note Holder will have the right to be paid back by me for all of its costs and expenses in enforcing this Note to the extent not prohibited by applicable law. Those expenses include, for example, reasonable attorneys' fees, court costs and witness fees, including but not limited to expert witness fees.

#### 7. GIVING OF NOTICES

Unless applicable law requires a different method, any notice that must be given to me under this Note will be given by delivering it or mailing it by first class mail to me at the Property Address above or at a different address if I give the City a notice of my different address.

Any notice that must be given to the City under this Note will be given by mailing it by first class mail to:

Director
City of Springfield Office of Housing
1600 E. Columbus Ave.
Springfield, MA 01103

with a copy simultaneously mailed by first class mail to:

City Solicitor
City of Springfield Law Department
36 Court Street
Springfield, MA 01103

#### 8. OBLIGATIONS OF PERSONS UNDER THIS NOTE

If more than one person signs this Note, each person is fully and personally obligated to keep all of the promises made in this Note, including the promise to pay the full amount owed. Any person who is a guarantor, surety or endorser of this Note is also obligated to do these things. Any person who takes over these obligations, including the obligations of a guarantor, surety or

endorser of this Note, is also obligated to keep all of the promises made in this Note. The City may enforce its rights under this Note against each person individually or against all of us together. This means that any one of us may be required to pay all of the amounts owned under this Note. This Note is binding on me and my executors, administrators, heirs, successors and assigns.

#### 9. WAIVERS

I and any other person who has obligations under this Note waive the rights of presentment and notice of dishonor. "Presentment" means the right to require the City to demand payment of amounts due. "Notice of dishonor" means the right to require the City to give notice to other persons that amounts due have not been paid.

#### 10. UNIFORM SECURED NOTE

This Note is a uniform instrument with limited variations in some jurisdictions. In addition to the protections given to the City under this Note, a Mortgage dated the same date as this Note protects the City from possible losses which might result if I do not keep the promises which I make in this Note. That Mortgage describes how and under what condition I may be required to make immediate payment in full of all amounts I owe under this Note. Some of those conditions are described as follows:

**Due Upon Sale or Transfer.** If all or any part of the Property or any interest in it is sold or transferred without the City's prior written consent, the City may, at its option, require immediate payment in full of all sums secured by the Mortgage.

**Owner Occupancy**. If the Borrower is an owner-occupant at the time this loan is entered into, and the Borrower ceases to live in the Mortgaged Property as his/her principal place of residence during the term of the loan, the City may, at its option, require immediate payment in full of all sums secured by the Mortgage.

Rental Unit Affordability. If the Borrower (including a Borrower who lives in one unit of a multi-unit property) rents out units in the Mortgaged Property to others, and the Borrower rents units to households with income above 80% area median income, the City may, at its option, require immediate payment in full of all sums secured by the Mortgage.

If the City exercises its option to require immediate payment of the balance of funds secured by the Mortgage, the City shall give Borrower notice of acceleration. This notice shall provide a period of not less than 30 days from the date the notice is delivered or mailed within which

Borrower must pay all remaining sums secured b	y the Mortgage.
EXECUTED as a sealed instrument as of the date f	irst written above
Angela M. Borges	Witness Cornelius W. Phillips
Borrower	
	Witness
COMMONWEALTH O	F MASSACHUSETTS
HAMPDEN, SS	
personally appeared the above-named <u>Angela</u> satisfactory evidence of identification, which was	MA Drivers License ,
to be the person whose name is signed on acknowledge that she signed it voluntarily for its she executed the same as KK free act and deed.  her	
	Notary Public Cornelius W. Phillips My Commission Expires: December 19, 2025
	Cornelius W. Phillips Notary Public COMMONWEALTH OF MASSACHUSETTS My Commission Expires December 19,2025

#### **PROMISSORY NOTE**

June 7	, 2021		
Springfiel	d, Massachusetts		
Property	Address: 38 Merwin Street, Sprir	gfield, MA 01105	
1.	BORROWERS' PROMISE TO PAY		
In return	for a loan that I have received, I,	Angela M. Borges	("Borrower"),
promise t	o pay \$ <u>122,452.00</u>	(this amount is called	l "Principal"), without interest
to the Cit	y of Springfield, a Massachusetts m	unicipal corporation w	ith a usual address of 36 Court
Street, Sp	ringfield, Massachusetts 01103 ("C	ity").	
		•	•
2.	INTEREST		

#### 3. TIME AND PLACE OF PAYMENTS

Interest will not be charged on unpaid principal.

No monthly payments are due. If there is no default on the loan, the Principal shall be forgiven at an equal percentage rate per year until it is 100% forgiven at the end of the 5<sup>th</sup> year.

#### 4. BORROWER'S RIGHT TO PREPAY

I have the right to make payments of principal at any time before they are due. A payment of principal only is known as a "prepayment." When I make a prepayment, I will tell the City in writing that I am doing so.

I may make a full prepayment or partial prepayments without paying any prepayment charge. The City will use all of my prepayments to reduce the amount of principal that I owe under this Note. If I make a partial prepayment, there will be no changes in the due date or in the amount of my payment unless the City agrees in writing to those changes.

#### 6. BORROWER DEFAULT

(A) Default If I am in default of or breach of the Healthy Homes Rehabilitation Program Agreement ("Program Agreement") or the Mortgage, both dated the same date as this Note, and if I do not cure any default or breach within any applicable cure period, then I will be in default of this Note.

- (B) Notice of Default If I am in default, the City may send me a written notice telling me that if I do not come into compliance with the Program Agreement and Mortgage by a certain date, the City may require me to pay immediately the full amount of principal I owe.
- (C) No Waiver by City Even if, at a time when I am in default, the City does not require me to pay immediately in full as described above, the City will still have the right to do so if I am in default at a later time.
- (D) Payment of City's Costs and Expenses If the City has required me to pay immediately in full as described above, the Note Holder will have the right to be paid back by me for all of its costs and expenses in enforcing this Note to the extent not prohibited by applicable law. Those expenses include, for example, reasonable attorneys' fees, court costs and witness fees, including but not limited to expert witness fees.

#### 7. GIVING OF NOTICES

Unless applicable law requires a different method, any notice that must be given to me under this Note will be given by delivering it or mailing it by first class mail to me at the Property Address above or at a different address if I give the City a notice of my different address.

Any notice that must be given to the City under this Note will be given by mailing it by first class mail to:

Director
City of Springfield Office of Housing
1600 E. Columbus Ave.
Springfield, MA 01103

with a copy simultaneously mailed by first class mail to:

City Solicitor
City of Springfield Law Department
36 Court Street
Springfield, MA 01103

#### 8. OBLIGATIONS OF PERSONS UNDER THIS NOTE

If more than one person signs this Note, each person is fully and personally obligated to keep all of the promises made in this Note, including the promise to pay the full amount owed. Any

person who is a guarantor, surety or endorser of this Note is also obligated to do these things. Any person who takes over these obligations, including the obligations of a guarantor, surety or endorser of this Note, is also obligated to keep all of the promises made in this Note. The City may enforce its rights under this Note against each person individually or against all of us together. This means that any one of us may be required to pay all of the amounts owned under this Note. This Note is binding on me and my executors, administrators, heirs, successors and assigns.

#### 9. WAIVERS

I and any other person who has obligations under this Note waive the rights of presentment and notice of dishonor. "Presentment" means the right to require the City to demand payment of amounts due. "Notice of dishonor" means the right to require the City to give notice to other persons that amounts due have not been paid.

#### 10. UNIFORM SECURED NOTE

This Note is a uniform instrument with limited variations in some jurisdictions. In addition to the protections given to the City under this Note, a Mortgage dated the same date as this Note protects the City from possible losses which might result if I do not keep the promises which I make in this Note. That Mortgage describes how and under what condition I may be required to make immediate payment in full of all amounts I owe under this Note. Some of those conditions are described as follows:


**Due Upon Sale or Transfer.** If all or any part of the Property or any interest in it is sold or transferred without the City's prior written consent, the City may, at its option, require immediate payment in full of all sums secured by the Mortgage.

**Owner Occupancy**. If the Borrower is an owner-occupant at the time this loan is entered into, and the Borrower ceases to live in the Mortgaged Property as his/her principal place of residence during the term of the loan, the City may, at its option, require immediate payment in full of all sums secured by the Mortgage.

Rental Unit Affordability. If the Borrower (including a Borrower who lives in one unit of a multi-unit property) rents out units in the Mortgaged Property to others, and the Borrower rents units to households with income above 80% area median income, the City may, at its option, require immediate payment in full of all sums secured by the Mortgage.

If the City exercises its option to require immediate payment of the balance of funds secured by the Mortgage, the City shall give Borrower notice of acceleration. This notice shall provide a period of not less than 30 days from the date the notice is delivered or mailed within which Borrower must pay all remaining sums secured by the Mortgage.

EXECUTED as a sealed instrument as of the date fire Angela M. Adorges Borrower	st written above.  Witness Cornelius W. Phillips
	Witness
personally appeared the above-named Angela M	, before me, the undersigned Notary Public, Borges , proved to me through
satisfactory evidence of identification, which was to be the person whose name is signed on acknowledge thatshe signed it voluntarily for its sishe executed the same as The free act and deed.  her	MA Drivers License , the preceding or attached document, and



#### Exhibit E: SECTION 3 CLAUSE

"All section 3 covered contracts shall include the following clause (referred to as the section 3 clause):

- A. The work to be performed under this contract is subject to the requirements of section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U.S.C. 1701u (section 3). The purpose of section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by section 3, shall, to the greatest extent feasible, be directed to low- and very low-income persons, particularly persons who are recipients of HUD assistance for housing.
- B. The parties to this contract agree to comply with HUD's regulations in 24 CFR part 135, which implement section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the part 135 regulations.
- C. The contractor agrees to send to each labor organization or representative of workers with which the contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers' representative of the contractor's commitments under this section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice. The notice shall describe the section 3 preference, shall set forth minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking applications for each of the positions; and the anticipated date the work shall begin.
- D. The contractor agrees to include this section 3 clause in every subcontract subject to compliance with regulations in 24 CFR part 135, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR part 135. The contractor will not subcontract with any subcontractor where the contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24 CFR part 135.
- E. The contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the contractor is selected but before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR part 135 require employment opportunities to be directed, were not filled to circumvent the contractor's obligations under 24 CFR part 135.
- F. Noncompliance with HUD's regulations in 24 CFR part 135 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.
- G. With respect to work performed in connection with section 3 covered Indian housing assistance, section 7(b) of the Indian Self-Determination and Education Assistance Act (25 U.S.C. 450e) also applies to the work to be performed under this contract. Section 7(b) requires that to the greatest extent feasible (i) preference and opportunities for training and employment shall be given to Indians, and (ii) preference in the award of contracts and subcontracts shall be given to Indian organizations and Indian-owned Economic Enterprises. Parties to this contract that are subject to the provisions of section 3 and section 7(b) agree to comply with section 3 to the maximum extent feasible, but not in derogation of compliance with section 7(b).

### TAX CERTIFICATION AFFIDAVIT FOR CONTRACTS

Individual Social Security Number
Street Address Only: 38 Merwin Street
City/State/Zip Code: Springfield, Massachusetts 01105
Telephone Number: Email:
List address(es) of all other property owned by company in Springfield:
Name of Individual: Angela M. Borges
You must complete the following certifications and have the signature(s) notarized on the lines below.
FEDERAL TAX CERTIFICATION
I, Angela M. Borges certify under the pains and penalties of perjury that I, to my best knowledge and belief, have complied with all United States Federal taxes required by law.
Signature Date: 6/7/21
CITY OF SPRINGFIELD TAX CERTIFICATION
I, Angela M. Borges certify under the pains and penalties of perjury that I, to my best knowledge and belief, have complied with all City of Springfield taxes required by law.    Date: Date: Date:
COMMONWEALTH OF MASSACHUSETTS TAX CERTIFICATION
Pursuant to M.G.L. c. 62C '49A, I, Angela M. Borges certify under the pains and penalties of perjury that I, to my best knowledge and belief, have filed all state tax returns and have complied with all state taxes required by law.  Bidder/Proposer Date: Le 7 21  Approximately Person's Signature  Notary Public
COMMONWEALTH OF MASSACHUSETTS
XX Hampden, ss. <u>June 7</u> , XXX 2021
Then personally appeared before me name] Angela M. Borges  of [company name] , being duly sworn, and made oath that Nexhe has read the foregoing document, and knows the contents thereof; and that the facts stated therein are true of Nixher own knowledge and stated the foregoing to be Nixher free act and deed and the free act and deed of [company name]  Notary Public Cornelius W. Phillips  December 19, 2025
Notary Public YOU MUST FILL THIS FORM OUT COMPLETELY AND COMMONWEALTH OR MASSACRUSEUS SUBMIT THIS FORM WITH YOUR CLOSING DOCUMENTS.  December 19,2025

ACORD <sup>®</sup>	

### INSURANCE BINDER

OP ID: CM

DATE (MM/DD/YYYY)

		OF DIMPER	-		6/15	5/2021
THIS BINDER IS A TEMPORAR	Y INSURANCE CONTRACT, SUBJEC	CT TO THE CONDITIO	NS SHOWN ON THE R	EVERSE SI	DE OF T	HIS FORM
Haberman Insurance Group In		COMPANY		BINDER	#	
95F Ashley Avenue	•	Safety Insurance		<u>,                                     </u>	B	
West Springfield, MA 01089		Date EFFE	CTIVE Time	Date	Expiration e	Time
99		06/15/2021	AM	0714 51		12:01 AN
PHONE (A/G, No, Ext):	FAX (A/C, No):	0011012021	PM	07/15/2	5/2021 NOON	
CODE	SUB CODE:	THIS BINDER IS	ISSUED TO EXTEND COVERAGE	IN THE ABOVE	NAMED CO	MPANY
AGENCY CUSTOMER ID:	1000000		ATIONS/VEHICLES/PROPERTY (I			······································
INSURED Angela Borges			located at 35 Merwin S		anj	
38 Merwin Street		Springfield, MA P	olicy term: 05/31/2021-	,		
Springfield MA	01107	05/31/2022 Annua	Premium \$1954			
COVERAGES	1			LIMIT	'S	
TYPE OF INSURANCE	COVERAGE	FORMS	DEDUCTIBLE	COINS %	МА	OUNT
PROPERTY CAUSES OF LOSS	A. Dwelling B. Other Structures		2500			57900
BASIC BROAD SPEC	C. Personal Property					5790
	E. Pers Liability Ea Occur				  -	40530 50000
GENERAL LIABILITY						
			EACH OCCURRE DAMAGE TO	NCE	\$	
COMMERCIAL GENERAL LIABILITY  CLAIMS MADE OCCUR			RENTED PREMIS	SES	\$	
CLAIMS MADE OCCUR	f .		MED EXP (Any or		\$	
	· ·		PERSONAL & AD	VINJURY	5	
	DETPO DATE FOR CLAIMS MADE.		GENERAL AGGR		\$	
AUTOMOBILE LIABILITY	RETRO DATE FOR CLAIMS MADE:		PRODUCTS - CO		\$	
ANY AUTO			COMBINED SING		\$	
ALL OWNED AUTOS			BODILY INJURY		\$	
SCHEDULED AUTOS	Í		BODILY INJURY		\$	<del> </del>
HIRED AUTOS			PROPERTY DAM		\$	
NON-OWNED AUTOS			MEDICAL PAYME PERSONAL INJUI		\$	
			UNINSURED MOT		\$	
				····	\$	
AUTO PHYSICAL DAMAGE DEDUCTIBLE	ALL VEHICLES SCHEDULED	VEHICLES	ACTUAL C	ASH VALUE	<del> </del>	
COLLISION:			STATED A		\$	
OTHER THAN COL:			OTHER			
GARAGE LIABILITY			AUTO ONLY - EA	ACCIDENT	\$	
ANY AUTO			OTHER THAN AU	TO ONLY:		
			EACH	ACCIDENT	\$	
EXCESS LIABILITY			A	GGREGATE	\$	
UMBRELLA FORM			EACH OCCURREN	₹CE	\$	
	DETEC DIVERSE ALL DIVERSE		AGGREGATE		\$	
TOTHER THAIR OMBRELLA FORM	RETRO DATE FOR CLAIMS MADE:	,	SELF-INSURED R		\$	
WORKER'S COMPENSATION				TORY LIMITS		
and EMPLOYER'S LIABILITY			E.L. EACH ACCIDE		\$	
			E.L. DISEASE - EA		\$	
SPECIAL			E.L. DISEASE - PO		\$	
SPECIAL CONDITIONS/ DTHER COVERAGES			TAXES		<u> </u>	
COVERAGES			ESTIMATED TOTA		<u> </u>	
Name & Address			LOUINZAICD TOTA	CLICIMION [ 3	<u> </u>	
		X MORTGAGEE	ADDITIONAL INSURED	<del></del>		
		LOSS PAYEE	X 2ND MORT			
	LOAN#					
CITY OF SPRINGF	9ELD					ļ
ISAOA ATIMA		AUTHORIZED REPRESENTA	ATIVE			
36 COURT ST SPRINGFIELD MA 01103		A Jeffer	Man			
		1 000				