



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/12/2008

Page 10 of 18

Project Location: SPRINGFIELD, MA. CHAPMAN VALVE

Date Received: 2/5/2008

LIMS-BAT #: LIMIT-13241

Job Number: 2070222A

Field Sample #: WEST SIDE WALL

Analytical Method:

MADEP-EPH-04-1

SAMPLES ARE EXTRACTED WITH METHYLENE CHLORIDE AND ACETONE BY PRESSURIZED FLUID EXTRACTION (SW846 3545) OR MICROWAVE (SW846 3546), EXCHANGED INTO HEXANE AND CONCENTRATED. ALIPHATIC AND AROMATIC FRACTIONS ARE SEPARATED. ANALYSIS IS BY GAS CHROMATOGRAPHY WITH FLAME IONIZATION DETECTION. PAH AND C11-C22 AROMATICS ARE DETERMINED IN THE METHYLENE CHLORIDE FRACTION. C9-C18 AND C19-C36 ALIPHATICS ARE DETERMINED IN THE HEXANE FRACTION. TARGET COMPOUND CONTRIBUTIONS ARE SUBTRACTED FROM THE SUMMED AROMATIC RANGE, BUT NOT FROM THE UNADJUSTED C11-C22 AROMATIC RANGE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/12/2008

Page 12 of 18

Project Location: SPRINGFIELD, MA. CHAPMAN VALVE
Date Received: 2/5/2008

LIMS-BAT #: LIMIT-13241

Job Number: 2070222A

Analytical Method:

SM 2540G

PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES
CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or
regulatory level for comparison with data to
determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/12/2008

Page 14 of 18

Project Location: SPRINGFIELD, MA. CHAPMAN VALVE

Date Received: 2/5/2008

LIMS-BAT #: LIMIT-13241

Job Number: 2070222A

Field Sample #: NORTH SIDE WALL

Sample ID: 08B03740

Sampled: 2/4/2008

NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unadjusted C5-C8 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	26.5		
C5-C8 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	26.5		
Unadjusted C9-C12 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	17.7		
C9-C12 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	17.7		
C9-C10 Aromatics	mg/kg dry wt	ND	02/07/08	EH	17.7		
Benzene	mg/kg dry wt	ND	02/07/08	EH	0.089		
Ethylbenzene	mg/kg dry wt	ND	02/07/08	EH	0.089		
MTBE	mg/kg dry wt	ND	02/07/08	EH	0.089		
Naphthalene	mg/kg dry wt	ND	02/07/08	EH	0.882		
Toluene	mg/kg dry wt	ND	02/07/08	EH	0.089		
m/p-Xylene	mg/kg dry wt	ND	02/07/08	EH	0.177		
o-Xylene	mg/kg dry wt	ND	02/07/08	EH	0.089		

Analytical Method:

MADEP-VPH-04-1.1

SAMPLES ARE PRESERVED WITH METHANOL AND CONCENTRATED BY PURGE AND TRAP, FOLLOWED BY GAS CHROMATOGRAPHY ANALYSIS WITH PID/FID DETECTION. SUMMED RANGES ARE REPORTED WITH TARGET COMPOUND CONTRIBUTIONS SUBTRACTED. C9-C12 ALIPHATIC HYDROCARBONS EXCLUDE THE CONCENTRATION OF C9-C10 AROMATIC HYDROCARBONS.

NO SIGNIFICANT MODIFICATIONS WERE MADE TO THE METHOD.

DETAILS OF ANY NON-CONFORMANCE WITH QA/QC REQUIREMENTS, PERFORMANCE, OR ACCEPTANCE CRITERIA ARE LISTED IN THE NOTES SECTION OF THIS REPORT.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/12/2008
Page 16 of 18

Project Location: SPRINGFIELD, MA. CHAPMAN VALVE

Date Received: 2/5/2008

Field Sample #: UST 4 EAST SW

Sample ID: 08B03743

Sampled: 2/4/2008
NOT SPECIFIED

LIMS-BAT #: LIMIT-13241

Job Number: 2070222A

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unadjusted C5-C8 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	18.7		
C5-C8 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	18.7		
Unadjusted C9-C12 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	12.5		
C9-C12 Aliphatics	mg/kg dry wt	ND	02/07/08	EH	12.5		
C9-C10 Aromatics	mg/kg dry wt	ND	02/07/08	EH	12.5		
Benzene	mg/kg dry wt	ND	02/07/08	EH	0.063		
Ethylbenzene	mg/kg dry wt	ND	02/07/08	EH	0.063		
MTBE	mg/kg dry wt	ND	02/07/08	EH	0.063		
Naphthalene	mg/kg dry wt	ND	02/07/08	EH	0.621		
Toluene	mg/kg dry wt	ND	02/07/08	EH	0.063		
m/p-Xylene	mg/kg dry wt	ND	02/07/08	EH	0.125		
o-Xylene	mg/kg dry wt	ND	02/07/08	EH	0.063		

Analytical Method:

MADEP-VPH-04-1.1

SAMPLES ARE PRESERVED WITH METHANOL AND CONCENTRATED BY PURGE AND TRAP, FOLLOWED BY GAS CHROMATOGRAPHY ANALYSIS WITH PID/FID DETECTION. SUMMED RANGES ARE REPORTED WITH TARGET COMPOUND CONTRIBUTIONS SUBTRACTED. C9-C12 ALIPHATIC HYDROCARBONS EXCLUDE THE CONCENTRATION OF C9-C10 AROMATIC HYDROCARBONS.

NO SIGNIFICANT MODIFICATIONS WERE MADE TO THE METHOD.

DETAILS OF ANY NON-CONFORMANCE WITH QA/QC REQUIREMENTS, PERFORMANCE, OR ACCEPTANCE CRITERIA ARE LISTED IN THE NOTES SECTION OF THIS REPORT.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/12/2008

Page 18 of 18

Project Location: SPRINGFIELD, MA. CHAPMAN VALVE
Date Received: 2/5/2008

LIMS-BAT #: LIMIT-13241
Job Number: 2070222A

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/12/2008

Lims Bat #: LIMT-13241

Page 2 of 13

QC Batch Number: GC/FID-20282

Sample Id	Analysis	QC Analysis	Values	Units	Limits
BLANK-113154	Naphthalene Aliphatic Fraction	Blank	<0.1	mg/kg dry wt	
	2-Methylnaphthalene Aliphatic Fraction	Blank	<0.1	mg/kg dry wt	
	Unadjusted C11-C22 Aromatics	Blank	<30.0	mg/kg dry wt	
	C9-C18 Aliphatics	Blank	<30.0	mg/kg dry wt	
	C19-C36 Aliphatics	Blank	<30.0	mg/kg dry wt	
	C11-C22 Aromatics	Blank	<30.0	mg/kg dry wt	
LFBLANK-74598	Naphthalene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	3.7	mg/kg dry wt	
		Lab Fort Blk. % Rec.	74.0	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	3.7	mg/kg dry wt	
		Dup Lab Fort BI %Rec	75.0	%	40-140
		Lab Fort Blank Range	1.0	units	
		Lab Fort Bl. Av. Rec	74.5	%	
		LFB Duplicate RPD	1.4	%	0-25
	Acenaphthene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	92.1	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	4.8	mg/kg dry wt	
		Dup Lab Fort BI %Rec	97.4	%	40-140
		Lab Fort Blank Range	5.2	units	
		Lab Fort Bl. Av. Rec	94.7	%	
		LFB Duplicate RPD	5.5	%	0-25
	Acenaphthylene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.3	mg/kg dry wt	
		Lab Fort Blk. % Rec.	86.4	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	4.6	mg/kg dry wt	
		Dup Lab Fort BI %Rec	92.8	%	40-140
		Lab Fort Blank Range	6.4	units	
		Lab Fort Bl. Av. Rec	89.6	%	
		LFB Duplicate RPD	7.1	%	0-25
	Anthracene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.8	mg/kg dry wt	
		Lab Fort Blk. % Rec.	96.6	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	5.0	mg/kg dry wt	
		Dup Lab Fort BI %Rec	100.7	%	40-140
		Lab Fort Blank Range	4.1	units	
		Lab Fort Bl. Av. Rec	98.7	%	
		LFB Duplicate RPD	4.2	%	0-25



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/12/2008

Lims Bat #: LIMT-13241

Page 4 of 13

QC Batch Number: GC/FID-20282

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFB LANK-74598	Chrysene	Lab Fort Bl. Av. Rec	104.0	%	
		LFB Duplicate RPD	3.5	%	0-25
	Dibenzo(a,h)anthracene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	93.9	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	4.9	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	99.9	%	40-140
		Lab Fort Blank Range	6.0	units	
		Lab Fort Bl. Av. Rec	96.9	%	
	Fluoranthene	LFB Duplicate RPD	6.1	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.9	mg/kg dry wt	
		Lab Fort Blk. % Rec.	98.6	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.0	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	101.8	%	40-140
		Lab Fort Blank Range	3.2	units	
	Fluorene	Lab Fort Bl. Av. Rec	100.2	%	
		LFB Duplicate RPD	3.1	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.5	mg/kg dry wt	
		Lab Fort Blk. % Rec.	91.7	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	4.8	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	97.2	%	40-140
	Indeno(1,2,3-cd)pyrene	Lab Fort Blank Range	5.5	units	
		Lab Fort Bl. Av. Rec	94.4	%	
		LFB Duplicate RPD	5.8	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.4	mg/kg dry wt	
		Lab Fort Blk. % Rec.	89.9	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	4.6	mg/kg dry wt	
	2-Methylnaphthalene	Dup Lab Fort Bl %Rec	93.3	%	40-140
		Lab Fort Blank Range	3.4	units	
		Lab Fort Bl. Av. Rec	91.6	%	
		LFB Duplicate RPD	3.7	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.0	mg/kg dry wt	
		Lab Fort Blk. % Rec.	80.1	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	4.3	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/12/2008

Lims Bat #: LIMT-13241

Page 6 of 13

QC Batch Number: GC/FID-20282

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-74598	Naphthalene Aliphatic Fraction	Dup Lab Fort BI Amt.	3.7	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	0.0	mg/kg dry wt	
		Dup Lab Fort BI %Rec	0.0	%	0-5
		Lab Fort Blank Range	0.0	units	
		Lab Fort BI. Av. Rec	0.0	%	
	2-Methylnaphthalene Aliphatic Fraction	Lab Fort Blank Amt.	4.0	mg/kg dry wt	
		Lab Fort Blk. Found	0.0	mg/kg dry wt	
		Lab Fort Blk. % Rec.	0.0	%	0-5
		Dup Lab Fort BI Amt.	4.3	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	0.0	mg/kg dry wt	
	Unadjusted C11-C22 Aromatics	Dup Lab Fort BI %Rec	0.0	%	0-5
		Lab Fort Blank Range	0.0	units	
		Lab Fort BI. Av. Rec	0.0	%	
		Lab Fort Blank Amt.	85.0	mg/kg dry wt	
		Lab Fort Blk. Found	75.2	mg/kg dry wt	
	C9-C18 Aliphatics	Lab Fort Blk. % Rec.	88.5	%	40-140
		Dup Lab Fort BI Amt.	85.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	78.5	mg/kg dry wt	
		Dup Lab Fort BI %Rec	92.4	%	40-140
		Lab Fort Blank Range	3.8	units	
	C19-C36 Aliphatics	Lab Fort BI. Av. Rec	90.4	%	
		LFB Duplicate RPD	4.2	%	0-25
		Lab Fort Blank Amt.	30.0	mg/kg dry wt	
		Lab Fort Blk. Found	26.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	88.9	%	40-140
		Dup Lab Fort BI Amt.	30.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	25.8	mg/kg dry wt	
		Dup Lab Fort BI %Rec	86.0	%	40-140
		Lab Fort Blank Range	2.9	units	
		Lab Fort BI. Av. Rec	87.5	%	
		LFB Duplicate RPD	3.3	%	0-25
		Lab Fort Blank Amt.	40.0	mg/kg dry wt	
		Lab Fort Blk. Found	42.5	mg/kg dry wt	
		Lab Fort Blk. % Rec.	106.3	%	40-140
		Dup Lab Fort BI Amt.	40.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	41.0	mg/kg dry wt	
		Dup Lab Fort BI %Rec	102.7	%	40-140
		Lab Fort Blank Range	3.5	units	
		Lab Fort BI. Av. Rec	104.5	%	
		LFB Duplicate RPD	3.4	%	0-25



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/12/2008

Lims Bat #: LIMT-13241

Page 8 of 13

QC Batch Number: GC/FID-20295

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-74660	2,2,4-Trimethylpentane	Lab Fort Blk. Found	4.840	mg/kg dry wt	
		Lab Fort Blk. % Rec.	72.203	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	4.755	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	70.932	%	70-130
		Lab Fort Blank Range	1.271	units	
		Lab Fort Bl. Av. Rec	71.567	%	
		LFB Duplicate RPD	1.776	%	0-25
	n-Decane	Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	5.528	mg/kg dry wt	
		Lab Fort Blk. % Rec.	82.457	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.539	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	82.627	%	70-130
		Lab Fort Blank Range	0.169	units	
		Lab Fort Bl. Av. Rec	82.542	%	
	n-Butylcyclohexane	LFB Duplicate RPD	0.205	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	5.073	mg/kg dry wt	
		Lab Fort Blk. % Rec.	75.677	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.051	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	75.338	%	70-130
		Lab Fort Blank Range	0.338	units	
		Lab Fort Bl. Av. Rec	75.508	%	
		LFB Duplicate RPD	0.448	%	0-25



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/12/2008

Lims Bat #: LIMIT-13241

Page 10 of 13

QC Batch Number: GC/PID-8502

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-74658	Naphthalene	Lab Fort Blank Range	4.237	units	
		Lab Fort Bl. Av. Rec	113.983	%	
		LFB Duplicate RPD	3.717	%	0-25
	Toluene	Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	6.590	mg/kg dry wt	
		Lab Fort Blk. % Rec.	98.305	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	6.250	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	93.220	%	70-130
	o-Xylene	Lab Fort Blank Range	5.084	units	
		Lab Fort Bl. Av. Rec	95.762	%	
		LFB Duplicate RPD	5.309	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	6.704	mg/kg dry wt	
		Lab Fort Blk. % Rec.	100.000	%	70-130
	m/p-Xylene	Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	6.647	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	99.152	%	70-130
		Lab Fort Blank Range	0.847	units	
		Lab Fort Bl. Av. Rec	99.576	%	
		LFB Duplicate RPD	0.851	%	0-25
	MTBE	Lab Fort Blank Amt.	13.409	mg/kg dry wt	
		Lab Fort Blk. Found	12.613	mg/kg dry wt	
		Lab Fort Blk. % Rec.	94.067	%	70-130
		Dup Lab Fort Bl Amt.	13.409	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	12.443	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	92.796	%	70-130
	1,2,4-TrimethylBenzene	Lab Fort Blank Range	1.271	units	
		Lab Fort Bl. Av. Rec	93.432	%	
		LFB Duplicate RPD	1.360	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	5.795	mg/kg dry wt	
		Lab Fort Blk. % Rec.	86.440	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.312	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	79.237	%	70-130
		Lab Fort Blank Range	7.203	units	
		Lab Fort Bl. Av. Rec	82.838	%	
		LFB Duplicate RPD	8.695	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	6.193	mg/kg dry wt	
		Lab Fort Blk. % Rec.	92.372	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates
Sample Matrix Spikes and Matrix Spike Duplicates

BATCH QC: Lab fortified Blanks and Duplicates
Standard Reference Materials and Duplicates
Method Blanks

Report Date: 2/12/2008 Lims Bat #: LIMIT-13241 Page 12 of 13

NOTES:

QC Batch No. : GC/FID-20295
Sample ID : 08B03740
Analysis : 2,5-Dibromotoluene (FID)

Surrogate recovery is outside control limits. Reanalysis is not required since sample is ND and bias is high.

QC Batch No. : GC/PID-8502
Sample ID : 08B03740
Analysis : 2,5-Dibromotoluene (PID)

Surrogate Recovery High, Reanalysis not required, Sample ND

MADEP MCP ANALYTICAL METHOD REPORT CERTIFICATION FORM

Laboratory Name: **CON-TEST Analytical Laboratory** Project #: LIDT-13241

Project Location: SPRINGFIELD, MA CHAPMAN VALVE MADEP RTN¹:

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

08B 03739 - 08B03743

Sample Matrices: ☐ Groundwater ☒ Soil/Sediment ☐ Drinking Water ☐ Other: _____

MCP SW-846 Methods Used	8260B ()	8151A ()	8330 ()	6010B ()	7470A/1A ()
	8270C ()	8081A ()	VPH ☒	6020 ()	9014M ² ()
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ()	8021B ()	EPH ☒	7000 S ³ ()	7196A ()
	1 List Release Tracking Number (RTN), if known 2 M - SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method 3 S - SW-846 Methods 7000 Series List individual method and analyte.				

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set?	☒ Yes ☐ No ¹
B	Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines?	☒ Yes ☐ No ¹
C	Does the data included in this report meet all the analytical requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	☒ Yes ☐ No ¹
D	<u>VPH and EPH Methods only</u> : Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods)	☒ Yes ☐ No ¹

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all analytical QC performance standards and recommendations for the specified methods achieved?	☒ Yes ☐ No ¹
F	Were results for all analyte-list compounds/elements for the specified method(s) reported?	☒ Yes ☐ No ¹

¹ All Negative responses must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: <u>Sondra L. Slesinski</u>	Position: Quality Assurance Officer
Printed Name: Sondra L. Slesinski	Date: <u>02/12/08</u>



Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

Lab # 13241

Company Name: ASSOCIATED BUILDING WRECKERS
Address: 352 ALBANY ST
SPRINGFIELD, MA 01105

Telephone: (417) 532-1900

Project # 2070222A

Client PO # 20702222

Attention: FRED VANDERHOF

Project Location: SPRINGFIELD MA CHAPMAN VALVE
Sampled By: LVR

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #: metatf@wseinc.com
Email: MCCORMACK@WSEINC.COM
Format: ☐ EXCEL ☒ PDF ☐ GIS KEY

Proposal Provided? (For Billing purposes)
☐ yes ☒ no
proposal date

State Form Required?
☐ yes ☒ no

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Comp- osite	Grab	Matrix Code	Conc. Code
	WEST SIDE WALL	03739	2.4.08 0935			X	SOIL	L
	NORTH SIDE WALL	03740		0925				
	EAST SIDE WALL	03741		1240				
	PIT BOTTOM	03742		1250				
	UST 4 EAST SW	03743		1310				

Laboratory Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature) [Signature]
Date/Time: 2.5.08
Received by: (signature) [Signature]
Date/Time: 2.5.08 1315
Relinquished by: (signature) [Signature]
Date/Time: 2.5.08 1710
Received by: (signature) [Signature]
Date/Time: 2.5.08 1710
Temp 5°C

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH * DAY
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
*Require lab approval

Detection Limit Requirements
Regulations? MADEP MCP
S-1, GW-2/GW-3
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

**Preservation Codes:
I = Iced X = Na hydroxide
H = HCL T = Na thiosulfate
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

**Matrix Code:
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

**TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/20/2008

ASSOCIATED BUILDING WRECKERS

352 ALBANY STREET

SPRINGFIELD, MA 01106

ATTN: FRED VANDERHOOF

CONTRACT NUMBER:

PURCHASE ORDER NUMBER: 2070222

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-13447

JOB NUMBER: 2070222A

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: SPRINGFIELD MA, CHAPMAN

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST
DUP-1	08B04630	SOIL	NOT SPECIFIED	eph - solid 04
DUP-1	08B04630	SOIL	NOT SPECIFIED	solids eph/vph
DUP-1	08B04630	SOIL	NOT SPECIFIED	vph - solid 04
EAST SIDE WALL	08B04627	SOIL	NOT SPECIFIED	eph - solid 04
EAST SIDE WALL	08B04627	SOIL	NOT SPECIFIED	solids eph/vph
EAST SIDE WALL	08B04627	SOIL	NOT SPECIFIED	vph - solid 04
PIT BOTTOM	08B04628	SOIL	NOT SPECIFIED	eph - solid 04
PIT BOTTOM	08B04628	SOIL	NOT SPECIFIED	solids eph/vph
PIT BOTTOM	08B04628	SOIL	NOT SPECIFIED	vph - solid 04
TRIP BLANK	08B04631	LIQUIDS	NOT SPECIFIED	vph - solid 04
WEST SIDE WALL	08B04629	SOIL	NOT SPECIFIED	eph - solid 04
WEST SIDE WALL	08B04629	SOIL	NOT SPECIFIED	solids eph/vph
WEST SIDE WALL	08B04629	SOIL	NOT SPECIFIED	vph - solid 04



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/20/2008

ASSOCIATED BUILDING WRECKERS

352 ALBANY STREET

SPRINGFIELD, MA 01106

ATTN: FRED VANDERHOOF

CONTRACT NUMBER:

PURCHASE ORDER NUMBER: 2070222

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-13447

JOB NUMBER: 2070222A

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

MATRIX EFFECTS THAT LEAD TO LOW BIAS FOR REPORTED RESULT CANNOT BE ELIMINATED AND IS LIKELY. MATRIX SPIKE RECOVERY IS OUTSIDE CONTROL LIMITS FOR 2,2,4-TRIMETHYLBENZENE. LOW BIAS ANTICIPATED FOR ANY REPORTED RESULT FOR C5-C8 RANGE.

RESULTS FOR ALL ANALYTE-LIST COMPOUNDS WERE REPORTED FOR VPH UNLESS LISTED BELOW:
ALL REPORTED

EXTRACTABLE PETROLEUM HYDROCARBONS (EPH) MADEP-EPH-04-1.1

RECOMMENDED SAMPLE HOLDING TIMES WERE NOT EXCEEDED FOR ALL SAMPLES ANALYZED BY THE EPH METHOD UNLESS LISTED BELOW: NONE EXCEEDED

ALL EPH SAMPLES WERE RECEIVED PRESERVED PROPERLY (WATER SAMPLES pH <2) IN THE PROPER CONTAINERS AT 4° C. +/- 2° AS SPECIFIED ON THE CHAIN-OF-CUSTODY FORM UNLESS SPECIFIED BELOW:
ALL PROPERLY PRESERVED

SOLID SAMPLES, IF ANY, IN THE BATCH WERE EXTRACTED BY THE FOLLOWING METHOD:
MICROWAVE: SW846 3546

SPE CARTRIDGE CONTAMINATION WITH NON-PETROLEUM COMPOUNDS, IF PRESENT, IS VERIFIED BY GC/MS IN EACH METHOD BLANK PER EXTRACTION BATCH AND EXCLUDED FROM C11-C22 AROMATIC RANGE FRACTION IN ALL SAMPLES IN THE BATCH. THE EPH METHOD BLANK WAS FOUND NOT TO BE CONTAMINATED WITH TARGET ANALYTES AT LEVELS ABOVE THE REPORTING LIMITS EXCEPT WHERE LISTED BELOW:
NO CONTAMINATION NOTED

ALL EPH SAMPLES WERE ANALYZED UNDILUTED UNLESS SPECIFIED BELOW:
NO DILUTIONS WERE PERFORMED

INITIAL AND CONTINUING CALIBRATIONS MET ALL REQUIRED PERFORMANCE STANDARDS FOR EPH METHOD EXCEPT AS LISTED BELOW: ALL STANDARDS MET

LABORATORY CONTROL SAMPLE RECOVERIES, LABORATORY CONTROL SAMPLE DUPLICATE RECOVERIES, AND LCS DUPLICATE RPDs FOR ALL EPH TARGET COMPOUNDS AND RANGES, INCLUDING NAPHTHALENE AND 2-METHYLNAPHTHALENE BREAKTHROUGH INTO THE ALIPHATIC FRACTION WERE WITHIN CONTROL LIMITS SPECIFIED BY THE METHOD UNLESS LISTED BELOW: NONE OUTSIDE OF CONTROL LIMITS

ALL EPH SURROGATE STANDARD RECOVERIES WERE WITHIN CONTROL LIMITS SPECIFIED BY THE METHOD UNLESS LISTED BELOW: NONE OUTSIDE OF CONTROL LIMITS

EPH MATRIX SPIKE AND MATRIX SPIKE DUPLICATE RECOVERIES, SAMPLE DUPLICATE RPDs AND MSDRPD, IF REQUESTED IN THIS BATCH WERE ALL WITHIN CONTROL LIMITS SPECIFIED BY THE METHOD UNLESS LISTED BELOW: MS AND MSD REQUESTED AND PERFORMED ON SAMPLE 08B04629.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

AIHA 100033

AIHA ELLAP (LEAD) 100033

NORTH CAROLINA CERT. # 652

MASSACHUSETTS MA0100

NEW HAMPSHIRE NELAP 2516

NEW JERSEY NELAP NJ MA007 (AIR)



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/20/2008

Page 1 of 15

Project Location: SPRINGFIELD MA, CHAPMAN

Date Received: 2/13/2008

Field Sample #: DUP-1

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

Sample ID: 08B04630

Sampled: 2/13/2008

NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
C9-C18 Aliphatics	mg/kg dry wt	ND	02/19/08	CJM	36.5			
C19-C36 Aliphatics	mg/kg dry wt	ND	02/19/08	CJM	36.5			
Unadjusted C11-C22 Aromatics	mg/kg dry wt	66.5	02/19/08	CJM	36.5			
C11-C22 Aromatics	mg/kg dry wt	ND	02/19/08	CJM	36.5			
Acenaphthene	mg/kg dry wt	0.4	02/19/08	CJM	0.2			
Acenaphthylene	mg/kg dry wt	ND	02/19/08	CJM	0.2			
Anthracene	mg/kg dry wt	0.5	02/19/08	CJM	0.2			
Benzo(a)anthracene	mg/kg dry wt	1.4	02/19/08	CJM	0.2			
Benzo(a)pyrene	mg/kg dry wt	1.3	02/19/08	CJM	0.2			
Benzo(b)fluoranthene	mg/kg dry wt	1.8	02/19/08	CJM	0.2			
Benzo(g,h,i)perylene	mg/kg dry wt	0.8	02/19/08	CJM	0.2			
Benzo(k)fluoranthene	mg/kg dry wt	0.7	02/19/08	CJM	0.2			
Chrysene	mg/kg dry wt	1.7	02/19/08	CJM	0.2			
Dibenzo(a,h)anthracene	mg/kg dry wt	ND	02/19/08	CJM	0.2			
Fluoranthene	mg/kg dry wt	3.6	02/19/08	CJM	0.2			
Fluorene	mg/kg dry wt	0.3	02/19/08	CJM	0.2			
Indeno(1,2,3-cd)pyrene	mg/kg dry wt	0.7	02/19/08	CJM	0.2			
2-Methylnaphthalene	mg/kg dry wt	ND	02/19/08	CJM	0.2			
Naphthalene	mg/kg dry wt	ND	02/19/08	CJM	0.2			
Phenanthrene	mg/kg dry wt	3.1	02/19/08	CJM	0.2			
Pyrene	mg/kg dry wt	3.4	02/19/08	CJM	0.2			
Date Extracted EPH Solid		2/14/2008	02/19/08	CJM				

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/20/2008

Page 3 of 15

Project Location: SPRINGFIELD MA, CHAPMAN

Date Received: 2/13/2008

Field Sample #: EAST SIDE WALL

Sample ID: 08B04627

Sampled: 2/13/2008
NOT SPECIFIED

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
C9-C18 Aliphatics	mg/kg dry wt	ND	02/18/08	CJM	34.4		
C19-C36 Aliphatics	mg/kg dry wt	ND	02/18/08	CJM	34.4		
Unadjusted C11-C22 Aromatics	mg/kg dry wt	ND	02/18/08	CJM	34.4		
C11-C22 Aromatics	mg/kg dry wt	ND	02/18/08	CJM	34.4		
Acenaphthene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Acenaphthylene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Anthracene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Benzo(a)anthracene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Benzo(a)pyrene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Benzo(b)fluoranthene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Benzo(g,h,i)perylene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Benzo(k)fluoranthene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Chrysene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Dibenzo(a,h)anthracene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Fluoranthene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Fluorene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Indeno(1,2,3-cd)pyrene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
2-Methylnaphthalene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Naphthalene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Phenanthrene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Pyrene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Date Extracted EPH Solid		2/14/2008	02/18/08	CJM			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/20/2008

Page 5 of 15

Project Location: SPRINGFIELD MA, CHAPMAN

Date Received: 2/13/2008

Field Sample #: PIT BOTTOM

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

Sample ID: 08B04628

Sampled: 2/13/2008
NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
C9-C18 Aliphatics	mg/kg dry wt	ND	02/18/08	CJM	36.9		
C19-C36 Aliphatics	mg/kg dry wt	64.8	02/18/08	CJM	36.9		
Unadjusted C11-C22 Aromatics	mg/kg dry wt	76.2	02/18/08	CJM	36.9		
C11-C22 Aromatics	mg/kg dry wt	42.5	02/18/08	CJM	36.9		
Acenaphthene	mg/kg dry wt	0.6	02/18/08	CJM	0.2		
Acenaphthylene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Anthracene	mg/kg dry wt	1.1	02/18/08	CJM	0.2		
Benzo(a)anthracene	mg/kg dry wt	2.5	02/18/08	CJM	0.2		
Benzo(a)pyrene	mg/kg dry wt	2.2	02/18/08	CJM	0.2		
Benzo(b)fluoranthene	mg/kg dry wt	3.2	02/18/08	CJM	0.2		
Benzo(g,h,i)perylene	mg/kg dry wt	1.2	02/18/08	CJM	0.2		
Benzo(k)fluoranthene	mg/kg dry wt	1.1	02/18/08	CJM	0.2		
Chrysene	mg/kg dry wt	2.9	02/18/08	CJM	0.2		
Dibenzo(a,h)anthracene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Fluoranthene	mg/kg dry wt	6.1	02/18/08	CJM	0.2		
Fluorene	mg/kg dry wt	0.5	02/18/08	CJM	0.2		
Indeno(1,2,3-cd)pyrene	mg/kg dry wt	1.3	02/18/08	CJM	0.2		
2-Methylnaphthalene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Naphthalene	mg/kg dry wt	ND	02/18/08	CJM	0.2		
Phenanthrene	mg/kg dry wt	5.1	02/18/08	CJM	0.2		
Pyrene	mg/kg dry wt	5.7	02/18/08	CJM	0.2		
Date Extracted EPH Solid		2/14/2008	02/18/08	CJM			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/20/2008

Page 7 of 15

Project Location: SPRINGFIELD MA, CHAPMAN

Date Received: 2/13/2008

Field Sample #: WEST SIDE WALL

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

Sample ID: 08B04629

Sampled: 2/13/2008

NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
C9-C18 Aliphatics	mg/kg dry wt	ND	02/19/08	CJM	32.8		
C19-C36 Aliphatics	mg/kg dry wt	ND	02/19/08	CJM	32.8		
Unadjusted C11-C22 Aromatics	mg/kg dry wt	ND	02/19/08	CJM	32.8		
C11-C22 Aromatics	mg/kg dry wt	ND	02/19/08	CJM	32.8		
Acenaphthene	mg/kg dry wt	0.3	02/19/08	CJM	0.2		
Acenaphthylene	mg/kg dry wt	ND	02/19/08	CJM	0.2		
Anthracene	mg/kg dry wt	0.4	02/19/08	CJM	0.2		
Benzo(a)anthracene	mg/kg dry wt	0.8	02/19/08	CJM	0.2		
Benzo(a)pyrene	mg/kg dry wt	0.7	02/19/08	CJM	0.2		
Benzo(b)fluoranthene	mg/kg dry wt	1.0	02/19/08	CJM	0.2		
Benzo(g,h,i)perylene	mg/kg dry wt	ND	02/19/08	CJM	0.2		
Benzo(k)fluoranthene	mg/kg dry wt	0.4	02/19/08	CJM	0.2		
Chrysene	mg/kg dry wt	0.9	02/19/08	CJM	0.2		
Dibenzo(a,h)anthracene	mg/kg dry wt	ND	02/19/08	CJM	0.2		
Fluoranthene	mg/kg dry wt	1.9	02/19/08	CJM	0.2		
Fluorene	mg/kg dry wt	0.2	02/19/08	CJM	0.2		
Indeno(1,2,3-cd)pyrene	mg/kg dry wt	ND	02/19/08	CJM	0.2		
2-Methylnaphthalene	mg/kg dry wt	ND	02/19/08	CJM	0.2		
Naphthalene	mg/kg dry wt	ND	02/19/08	CJM	0.2		
Phenanthrene	mg/kg dry wt	1.9	02/19/08	CJM	0.2		
Pyrene	mg/kg dry wt	1.8	02/19/08	CJM	0.2		
Date Extracted EPH Solid		2/14/2008	02/19/08	CJM			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

2/20/2008

Page 9 of 15

Purchase Order No.: 2070222

Project Location: SPRINGFIELD MA, CHAPMAN
Date Received: 2/13/2008
Field Sample #: DUP-1

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

Sample ID: 08B04630
Sampled: 2/13/2008
NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	82.2	02/15/08	MAM			

Field Sample #: EAST SIDE WALL

Sample ID: 08B04627
Sampled: 2/13/2008
NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	87.3	02/15/08	MAM			

Field Sample #: PIT BOTTOM

Sample ID: 08B04628
Sampled: 2/13/2008
NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	81.4	02/15/08	MAM			

Field Sample #: WEST SIDE WALL

Sample ID: 08B04629
Sampled: 2/13/2008
NOT SPECIFIED

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	91.5	02/15/08	MAM			

Analytical Method:

SM 2540G

PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/20/2008

Page 11 of 15

Project Location: SPRINGFIELD MA, CHAPMAN

Date Received: 2/13/2008

Field Sample #: EAST SIDE WALL

Sample ID: 08B04627

Sampled: 2/13/2008
NOT SPECIFIED

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unadjusted C5-C8 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	19.8		
C5-C8 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	19.8		
Unadjusted C9-C12 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	13.2		
C9-C12 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	13.2		
C9-C10 Aromatics	mg/kg dry wt	ND	02/15/08	EH	13.2		
Benzene	mg/kg dry wt	ND	02/15/08	EH	0.066		
Ethylbenzene	mg/kg dry wt	ND	02/15/08	EH	0.066		
MTBE	mg/kg dry wt	ND	02/15/08	EH	0.066		
Naphthalene	mg/kg dry wt	ND	02/15/08	EH	0.658		
Toluene	mg/kg dry wt	ND	02/15/08	EH	0.066		
m/p-Xylene	mg/kg dry wt	ND	02/15/08	EH	0.132		
o-Xylene	mg/kg dry wt	ND	02/15/08	EH	0.066		

Analytical Method:

MADEP-VPH-04-1.1

SAMPLES ARE PRESERVED WITH METHANOL AND CONCENTRATED BY PURGE AND TRAP, FOLLOWED BY GAS CHROMATOGRAPHY ANALYSIS WITH PID/FID DETECTION. SUMMED RANGES ARE REPORTED WITH TARGET COMPOUND CONTRIBUTIONS SUBTRACTED. C9-C12 ALIPHATIC HYDROCARBONS EXCLUDE THE CONCENTRATION OF C9-C10 AROMATIC HYDROCARBONS.

NO SIGNIFICANT MODIFICATIONS WERE MADE TO THE METHOD.

DETAILS OF ANY NON-CONFORMANCE WITH QA/QC REQUIREMENTS, PERFORMANCE, OR ACCEPTANCE CRITERIA ARE LISTED IN THE NOTES SECTION OF THIS REPORT.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

2/20/2008

Page 13 of 15

Purchase Order No.: 2070222

Project Location: SPRINGFIELD MA, CHAPMAN

LIMS-BAT #: LIMIT-13447

Date Received: 2/13/2008

Job Number: 2070222A

Field Sample #: TRIP BLANK

Sample ID: 08B04631

Sampled: 2/13/2008
NOT SPECIFIED

Sample Matrix: LIQUIDS

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unadjusted C5-C8 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	16.0		
C5-C8 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	16.0		
Unadjusted C9-C12 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	10.7		
C9-C12 Aliphatics	mg/kg dry wt	ND	02/15/08	EH	10.7		
C9-C10 Aromatics	mg/kg dry wt	ND	02/15/08	EH	10.7		
Benzene	mg/kg dry wt	ND	02/15/08	EH	0.054		
Ethylbenzene	mg/kg dry wt	ND	02/15/08	EH	0.054		
MTBE	mg/kg dry wt	ND	02/15/08	EH	0.054		
Naphthalene	mg/kg dry wt	ND	02/15/08	EH	0.532		
Toluene	mg/kg dry wt	ND	02/15/08	EH	0.054		
m/p-Xylene	mg/kg dry wt	ND	02/15/08	EH	0.107		
o-Xylene	mg/kg dry wt	ND	02/15/08	EH	0.054		

Analytical Method:

MADEP-VPH-04-1.1

SAMPLES ARE PRESERVED WITH METHANOL AND CONCENTRATED BY PURGE AND TRAP, FOLLOWED BY GAS CHROMATOGRAPHY ANALYSIS WITH PID/FID DETECTION. SUMMED RANGES ARE REPORTED WITH TARGET COMPOUND CONTRIBUTIONS SUBTRACTED. C9-C12 ALIPHATIC HYDROCARBONS EXCLUDE THE CONCENTRATION OF C9-C10 AROMATIC HYDROCARBONS.

NO SIGNIFICANT MODIFICATIONS WERE MADE TO THE METHOD.

DETAILS OF ANY NON-CONFORMANCE WITH QA/QC REQUIREMENTS, PERFORMANCE, OR ACCEPTANCE CRITERIA ARE LISTED IN THE NOTES SECTION OF THIS REPORT.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 2070222

2/20/2008

Page 15 of 15

Project Location: SPRINGFIELD MA, CHAPMAN
Date Received: 2/13/2008

LIMS-BAT #: LIMIT-13447

Job Number: 2070222A

The following notes were attached to the reported analysis :

Sample ID: * 08B04629

Analysis: MTBE

MATRIX SPIKE RECOVERY IS OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE SAMPLE RESULT IS "NOT DETECTED" AND RECOVERY BIAS IS ON THE HIGH SIDE FOR THIS COMPOUND.

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMT-13447

Page 2 of 19

QC Batch Number: GC/FID-20380

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75005	Nonane	Dup Lab Fort Bl. Fnd	4.721	mg/kg dry wt	
		Dup Lab Fort Bl. %Rec	70.423	%	30-130
		Lab Fort Blank Range	5.677	units	
		Lab Fort Bl. Av. Rec	73.262	%	
		LFB Duplicate RPD	7.750	%	0-25
	Pentane	Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	5.852	mg/kg dry wt	
		Lab Fort Blk. % Rec.	87.288	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	6.022	mg/kg dry wt	
		Dup Lab Fort Bl. %Rec	89.830	%	70-130
		Lab Fort Blank Range	2.542	units	
		Lab Fort Bl. Av. Rec	88.559	%	
		LFB Duplicate RPD	2.870	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
	2-Methylpentane	Lab Fort Blk. Found	5.352	mg/kg dry wt	
		Lab Fort Blk. % Rec.	79.830	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.051	mg/kg dry wt	
		Dup Lab Fort Bl. %Rec	75.338	%	70-130
		Lab Fort Blank Range	4.491	units	
		Lab Fort Bl. Av. Rec	77.584	%	
		LFB Duplicate RPD	5.789	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	4.653	mg/kg dry wt	
	2,2,4-Trimethylpentane	Lab Fort Blk. % Rec.	69.406	%	70-130
		Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	3.789	mg/kg dry wt	
		Dup Lab Fort Bl. %Rec	56.525	%	70-130
		Lab Fort Blank Range	12.881	units	
		Lab Fort Bl. Av. Rec	62.966	%	
		LFB Duplicate RPD	20.457	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	5.295	mg/kg dry wt	
		Lab Fort Blk. % Rec.	78.983	%	70-130
	n-Decane	Dup Lab Fort Bl Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.164	mg/kg dry wt	
		Dup Lab Fort Bl. %Rec	77.033	%	70-130
		Lab Fort Blank Range	1.949	units	
		Lab Fort Bl. Av. Rec	78.008	%	
		LFB Duplicate RPD	2.498	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	4.937	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMT-13447

Page 4 of 19

QC Batch Number: GC/FID-20398

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B04627	2-Fluorobiphenyl	Surrogate Recovery	102.8	%	40-140
	2-Bromonaphthalene	Surrogate Recovery	98.1	%	40-140
	Chlorooctadecane	Sur. Recovery	62.0	%	40-140
	Terphenyl	Sur. Recovery	77.9	%	40-140
08B04628	2-Fluorobiphenyl	Surrogate Recovery	99.7	%	40-140
	2-Bromonaphthalene	Surrogate Recovery	94.8	%	40-140
	Chlorooctadecane	Sur. Recovery	50.0	%	40-140
	Terphenyl	Sur. Recovery	51.3	%	40-140
08B04629	Naphthalene	Sample Amount	<0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	3.6	mg/kg dry wt	
		Matrix Spike % Rec.	66.7	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	3.7	mg/kg dry wt	
		MSD % Recovery	69.1	%	40-140
		MSD Range	2.3	units	
	Acenaphthene	MS Duplicate RPD	3.3	%	
		Sample Amount	0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.4	mg/kg dry wt	
		Matrix Spike % Rec.	77.1	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.6	mg/kg dry wt	
		MSD % Recovery	79.7	%	40-140
	Acenaphthylene	MSD Range	2.6	units	
		MS Duplicate RPD	3.1	%	
		Sample Amount	<0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.2	mg/kg dry wt	
		Matrix Spike % Rec.	77.8	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.4	mg/kg dry wt	
	Anthracene	MSD % Recovery	80.7	%	40-140
		MSD Range	2.8	units	
		MS Duplicate RPD	3.5	%	
		Sample Amount	0.4	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.6	mg/kg dry wt	
		Matrix Spike % Rec.	76.7	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.7	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMIT-13447

Page 6 of 19

QC Batch Number: GC/FID-20398

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B04629	Chrysene	MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.9	mg/kg dry wt	
		MSD % Recovery	74.9	%	40-140
		MSD Range	1.4	units	
		MS Duplicate RPD	1.5	%	
	Dibenzo(a,h)anthracene	Sample Amount	<0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.6	mg/kg dry wt	
		Matrix Spike % Rec.	85.2	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.7	mg/kg dry wt	
		MSD % Recovery	87.5	%	40-140
		MSD Range	2.3	units	
		MS Duplicate RPD	2.6	%	
	Fluoranthene	Sample Amount	1.8	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.6	mg/kg dry wt	
		Matrix Spike % Rec.	51.1	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.7	mg/kg dry wt	
		MSD % Recovery	52.6	%	40-140
		MSD Range	1.4	units	
		MS Duplicate RPD	1.7	%	
	Fluorene	Sample Amount	0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.3	mg/kg dry wt	
		Matrix Spike % Rec.	76.3	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.5	mg/kg dry wt	
		MSD % Recovery	78.6	%	40-140
		MSD Range	2.3	units	
		MS Duplicate RPD	2.8	%	
	Indeno(1,2,3-cd)pyrene	Sample Amount	<0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	
		MS Amt Measured	4.4	mg/kg dry wt	
		Matrix Spike % Rec.	80.7	%	40-140
		MSD Amount Added	5.4	mg/kg dry wt	
		MSD Amt Measured	4.4	mg/kg dry wt	
		MSD % Recovery	82.2	%	40-140
		MSD Range	1.5	units	
		MS Duplicate RPD	1.9	%	
	2-Methylnaphthalene	Sample Amount	<0.2	mg/kg dry wt	
		Matrix Spk Amt Added	5.4	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMIT-13447

Page 8 of 19

QC Batch Number: GC/FID-20398

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B04629	n-Nonane	MSD Range	0.7	units	
		MS Duplicate RPD	1.7	%	
	Naphthalene Aliphatic Fraction	MS Amt Measured	0.0	mg/kg dry wt	
		MSD Amt Measured	0.0	mg/kg dry wt	
	2-Methylnaphthalene Aliphatic Fraction	MS Amt Measured	0.0	mg/kg dry wt	
		MSD Amt Measured	0.0	mg/kg dry wt	
	Unadjusted C11-C22 Aromatics	Sample Amount	<32.8	mg/kg dry wt	
		Matrix Spk Amt Added	92.8	mg/kg dry wt	
		MS Amt Measured	73.9	mg/kg dry wt	
		Matrix Spike % Rec.	79.6	%	40-140
		MSD Amount Added	92.8	mg/kg dry wt	
		MSD Amt Measured	74.5	mg/kg dry wt	
		MSD % Recovery	80.2	%	40-140
		MSD Range	0.6	units	
		MS Duplicate RPD	0.7	%	
		Sur. Recovery	65.2	%	40-140
	Chlorooctadecane C9-C18 Aliphatics	Sample Amount	<32.8	mg/kg dry wt	
		Matrix Spk Amt Added	32.7	mg/kg dry wt	
		MS Amt Measured	24.0	mg/kg dry wt	
		Matrix Spike % Rec.	73.3	%	40-140
		MSD Amount Added	32.7	mg/kg dry wt	
		MSD Amt Measured	23.8	mg/kg dry wt	
		MSD % Recovery	72.7	%	40-140
		MSD Range	0.6	units	
	C19-C36 Aliphatics	MS Duplicate RPD	0.8	%	
		Sample Amount	<32.8	mg/kg dry wt	
		Matrix Spk Amt Added	43.7	mg/kg dry wt	
		MS Amt Measured	41.1	mg/kg dry wt	
		Matrix Spike % Rec.	94.0	%	40-140
		MSD Amount Added	43.7	mg/kg dry wt	
		MSD Amt Measured	38.8	mg/kg dry wt	
		MSD % Recovery	88.8	%	40-140
		MSD Range	5.1	units	
		MS Duplicate RPD	5.6	%	
08B04630	Terphenyl	Sur. Recovery	86.4	%	40-140
		Surrogate Recovery	98.0	%	40-140
	2-Fluorobiphenyl	Surrogate Recovery	92.6	%	40-140
	2-Bromonaphthalene	Sur. Recovery	51.1	%	40-140
	Chlorooctadecane	Sur. Recovery	67.5	%	40-140
BLANK-113619	Terphenyl	Sur. Recovery			
	Naphthalene	Blank	<0.1	mg/kg dry wt	
	Acenaphthene	Blank	<0.1	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMIT-13447

Page 10 of 19

QC Batch Number: GC/FID-20398

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75077	Acenaphthylene	Lab Fort Blk. % Rec.	89.8	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	4.8	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	97.0	%	40-140
		Lab Fort Blank Range	7.1	units	
		Lab Fort Bl. Av. Rec	93.4	%	
		LFB Duplicate RPD	7.7	%	0-25
	Anthracene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	93.8	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.1	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	102.7	%	40-140
		Lab Fort Blank Range	8.8	units	
		Lab Fort Bl. Av. Rec	98.2	%	
		LFB Duplicate RPD	9.0	%	0-25
	Benzo(a)anthracene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	93.9	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.2	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	104.9	%	40-140
		Lab Fort Blank Range	11.0	units	
		Lab Fort Bl. Av. Rec	99.4	%	
		LFB Duplicate RPD	11.0	%	0-25
	Benzo(a)pyrene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.7	mg/kg dry wt	
		Lab Fort Blk. % Rec.	94.6	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.3	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	106.0	%	40-140
		Lab Fort Blank Range	11.3	units	
		Lab Fort Bl. Av. Rec	100.3	%	
		LFB Duplicate RPD	11.3	%	0-25
	Benzo(b)fluoranthene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	92.1	%	40-140
		Dup Lab Fort Bl Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	5.1	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	102.6	%	40-140
		Lab Fort Blank Range	10.5	units	
		Lab Fort Bl. Av. Rec	97.3	%	
		LFB Duplicate RPD	10.8	%	0-25



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMT-13447

Page 12 of 19

QC Batch Number: GC/FID-20398

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75077	Fluorene	Lab Fort Bl. Av. Rec	94.5	%	
		LFB Duplicate RPD	7.9	%	0-25
	Indeno(1,2,3-cd)pyrene	Lab Fort Blank Amt.	5.0	mg/kg dry wt	
		Lab Fort Blk. Found	4.4	mg/kg dry wt	
		Lab Fort Blk. % Rec.	88.6	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	4.9	mg/kg dry wt	
		Dup Lab Fort BI %Rec	99.4	%	40-140
		Lab Fort Blank Range	10.8	units	
		Lab Fort Bl. Av. Rec	94.0	%	
		LFB Duplicate RPD	11.5	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
	2-Methylnaphthalene	Lab Fort Blk. Found	4.2	mg/kg dry wt	
		Lab Fort Blk. % Rec.	84.6	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	4.5	mg/kg dry wt	
		Dup Lab Fort BI %Rec	91.6	%	40-140
		Lab Fort Blank Range	6.9	units	
		Lab Fort Bl. Av. Rec	88.1	%	
		LFB Duplicate RPD	7.9	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
	Phenanthrene	Lab Fort Blk. Found	4.6	mg/kg dry wt	
		Lab Fort Blk. % Rec.	92.4	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	5.0	mg/kg dry wt	
		Dup Lab Fort BI %Rec	100.7	%	40-140
		Lab Fort Blank Range	8.2	units	
		Lab Fort Bl. Av. Rec	96.6	%	
		LFB Duplicate RPD	8.5	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
	Pyrene	Lab Fort Blk. Found	4.8	mg/kg dry wt	
		Lab Fort Blk. % Rec.	96.5	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	5.3	mg/kg dry wt	
		Dup Lab Fort BI %Rec	106.6	%	40-140
		Lab Fort Blank Range	10.1	units	
		Lab Fort Bl. Av. Rec	101.6	%	
		LFB Duplicate RPD	9.9	%	0-25
		Lab Fort Blank Amt.	5.0	mg/kg dry wt	
	Benzo(k)fluoranthene	Lab Fort Blk. Found	4.7	mg/kg dry wt	
		Lab Fort Blk. % Rec.	94.9	%	40-140
		Dup Lab Fort BI Amt.	5.0	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	5.3	mg/kg dry wt	

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMT-13447

Page 14 of 19

QC Batch Number: GC/FID-20398

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75077					
	C9-C18 Aliphatics	Dup Lab Fort Bl %Rec	94.2	%	40-140
		Lab Fort Blank Range	4.8	units	
		Lab Fort Bl. Av. Rec	91.8	%	
		LFB Duplicate RPD	5.2	%	0-25
	C19-C36 Aliphatics	Lab Fort Blank Amt.	40.0	mg/kg dry wt	
		Lab Fort Blk. Found	45.4	mg/kg dry wt	
		Lab Fort Blk. % Rec.	113.6	%	40-140
		Dup Lab Fort Bl Amt.	40.0	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	45.3	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	113.2	%	40-140
		Lab Fort Blank Range	0.4	units	
		Lab Fort Bl. Av. Rec	113.4	%	
		LFB Duplicate RPD	0.3	%	0-25



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMIT-13447

Page 16 of 19

QC Batch Number: GC/PID-8522

Sample Id	Analysis	QC Analysis	Values	Units	Limits
BLANK-113544	Ethylbenzene	Blank	<0.054	mg/kg dry wt	
	Naphthalene	Blank	<0.532	mg/kg dry wt	
	Toluene	Blank	<0.054	mg/kg dry wt	
	o-Xylene	Blank	<0.054	mg/kg dry wt	
	m/p-Xylene	Blank	<0.107	mg/kg dry wt	
	C9-C10 Aromatics	Blank	<10.7	mg/kg dry wt	
	MTBE	Blank	<0.054	mg/kg dry wt	
LFBLANK-75002	Benzene	Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	6.761	mg/kg dry wt	
		Lab Fort Blk. % Rec.	100.847	%	70-130
		Dup Lab Fort BI Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	6.022	mg/kg dry wt	
		Dup Lab Fort BI %Rec	89.830	%	70-130
		Lab Fort Blank Range	11.016	units	
	Ethylbenzene	Lab Fort BI. Av. Rec	95.338	%	
		LFB Duplicate RPD	11.555	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	6.704	mg/kg dry wt	
		Lab Fort Blk. % Rec.	100.000	%	70-130
		Dup Lab Fort BI Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	6.022	mg/kg dry wt	
	Naphthalene	Dup Lab Fort BI %Rec	89.830	%	70-130
		Lab Fort Blank Range	10.169	units	
		Lab Fort BI. Av. Rec	94.915	%	
		LFB Duplicate RPD	10.714	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	7.670	mg/kg dry wt	
		Lab Fort Blk. % Rec.	114.406	%	70-130
	Toluene	Dup Lab Fort BI Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	7.670	mg/kg dry wt	
		Dup Lab Fort BI %Rec	114.406	%	70-130
		Lab Fort Blank Range	0.000	units	
		Lab Fort BI. Av. Rec	114.406	%	
		LFB Duplicate RPD	0.000	%	0-25
		Lab Fort Blank Amt.	6.704	mg/kg dry wt	
		Lab Fort Blk. Found	6.931	mg/kg dry wt	
		Lab Fort Blk. % Rec.	103.389	%	70-130
		Dup Lab Fort BI Amt.	6.704	mg/kg dry wt	
		Dup Lab Fort BI. Fnd	6.136	mg/kg dry wt	
		Dup Lab Fort BI %Rec	91.525	%	70-130
		Lab Fort Blank Range	11.864	units	
		Lab Fort BI. Av. Rec	97.457	%	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/20/2008

Lims Bat #: LIMT-13447

Page 18 of 19

NOTES:

QC Batch No. : GC/FID-20380
Sample ID : 08B04629
Analysis : 2,2,4-Trimethylpentane

MATRIX SPIKE RECOVERY OUTSIDE OF CONTROL LIMITS. POSSIBILITY OF SAMPLE MATRIX EFFECTS THAT LEAD TO A LOW BIAS FOR REPORTED RESULT CANNOT BE ELIMINATED.

QC Batch No. : GC/PID-8522
Sample ID : 08B04629
Analysis : MTBE

MATRIX SPIKE RECOVERY IS OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE SAMPLE RESULT IS "NOT DETECTED" AND RECOVERY BIAS IS ON THE HIGH SIDE FOR THIS COMPOUND.

QC Batch No. : GC/FID-20380
Sample ID : 08B04629
Analysis : n-Butylcyclohexane

MATRIX SPIKE RECOVERY IS OUTSIDE OF CONTROL LIMITS. ANALYSIS IS IN CONTROL BASED ON LABORATORY FORTIFIED BLANK RECOVERY. POSSIBILITY OF SAMPLE MATRIX EFFECTS THAT LEAD TO LOW BIAS FOR REPORTED RESULT CANNOT BE ELIMINATED.

QC Batch No. : GC/FID-20380
Sample ID : 08B04629
Analysis : n-Decane

MATRIX SPIKE RECOVERY IS OUTSIDE OF CONTROL LIMITS. ANALYSIS IS IN CONTROL BASED ON LABORATORY FORTIFIED BLANK RECOVERY. POSSIBILITY OF SAMPLE MATRIX EFFECTS THAT LEAD TO LOW BIAS FOR REPORTED RESULT CANNOT BE ELIMINATED.

QC Batch No. : GC/FID-20380
Sample ID : LFBLANK-75005
Analysis : 2,2,4-Trimethylpentane

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. ANY REPORTED RESULT FOR THIS COMPOUND IN THIS BATCH IS LIKELY TO BE BIASED ON THE LOW SIDE.

MADEP MCP ANALYTICAL METHOD REPORT CERTIFICATION FORM

Laboratory Name: CON-TEST Analytical Laboratory Project #: L1MT-13447

Project Location: SPRINGFIELD, MA CHAPMAN MADEP RTN¹:

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

08B04627-08B04631

Sample Matrices: ☐ Groundwater ☒ Soil/Sediment ☐ Drinking Water ☐ Other: _____

MCP SW-846 Methods Used	8260B ()	8151A ()	8330 ()	6010B ()	7470A/1A ()
	8270C ()	8081A ()	VPH ☒	6020 ()	9014M ² ()
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ()	8021B ()	EPH ☒	7000 S ³ ()	7196A ()
	1 List Release Tracking Number (RTN), if known 2 M – SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method 3 S – SW-846 Methods 7000 Series List individual method and analyte.				

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set?	☒ Yes ☐ No ¹
B	Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines?	☒ Yes ☐ No ¹
C	Does the data included in this report meet all the analytical requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	☒ Yes ☐ No ¹
D	<u>VPH and EPH Methods only:</u> Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods)	☒ Yes ☐ No ¹

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all analytical QC performance standards and recommendations for the specified methods achieved?	☐ Yes ☒ No ¹
F	Were results for all analyte-list compounds/elements for the specified method(s) reported?	☒ Yes ☐ No ¹

¹ All Negative responses must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: Edward Denson Position: Technical Director

Printed Name: Edward Denson Date: 2/20/08



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 3/5/2008

ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106
ATTN: FRED VANDERHOOF

CONTRACT NUMBER:
PURCHASE ORDER NUMBER: 897660

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-13766

JOB NUMBER: -

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: 225 GOODWIN STREET

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	8082 drywt
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	8260 dry weight
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	as (mg/kg)dw icp
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	cd (mg/kg)dw icp
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	cr (mg/kg)dw icp
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	flashpoint
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	hg (mg/kg) dw
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	pb (mg/kg)dw icp
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	ph solids
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	reactivity
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	solids (percent)
#1 SOUTH	08B06230	SOIL	STOCKPILE SAMPLE (SOUTH)	tph gc dry 8100m
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	8082 drywt
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	8260 dry weight
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	as (mg/kg)dw icp
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	cd (mg/kg)dw icp
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	cr (mg/kg)dw icp
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	flashpoint
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	hg (mg/kg) dw
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	pb (mg/kg)dw icp
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	ph solids
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	reactivity
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	solids (percent)
#2 MID	08B06231	SOIL	STOCKPILE SAMPLE (MIDDLE)	tph gc dry 8100m
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	8082 drywt
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	8260 dry weight
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	as (mg/kg)dw icp
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	cd (mg/kg)dw icp
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	cr (mg/kg)dw icp
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	flashpoint
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	hg (mg/kg) dw
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	pb (mg/kg)dw icp
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	ph solids
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	reactivity
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	solids (percent)
#3 NORTH	08B06232	SOIL	STOCKPILE SAMPLE (NORTH)	tph gc dry 8100m



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008
Page 1 of 22

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #1 SOUTH

LIMS-BAT #: LIMIT-13766
Job Number: -

Sample ID : 08B06230
Sampled : 2/26/2008
STOCKPILE SAMPLE (SOUTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
PCB 1016	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB-1221	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB-1232	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB-1242	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB-1248	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB-1254	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB-1260	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB 1262	mg/kg dry wt	ND	02/29/08	JB	0.111		
PCB 1268	mg/kg dry wt	ND	02/29/08	JB	0.111		
Extraction Date PCBs		2/27/2008	02/29/08	JB			

Field Sample #: #2 MID

Sample ID : 08B06231
Sampled : 2/26/2008
STOCKPILE SAMPLE (MIDDLE)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
PCB 1016	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB-1221	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB-1232	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB-1242	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB-1248	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB-1254	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB-1260	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB 1262	mg/kg dry wt	ND	02/29/08	JB	0.114		
PCB 1268	mg/kg dry wt	ND	02/29/08	JB	0.114		
Extraction Date PCBs		2/27/2008	02/29/08	JB			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

3/5/2008

Page 3 of 22

Purchase Order No.: 897660

Project Location: 225 GOODWIN STREET

LIMS-BAT #: LIMIT-13766

Date Received: 2/26/2008

Job Number: -

Field Sample #: #1 SOUTH

Sample ID : 08B06230

Sampled : 2/26/2008

STOCKPILE SAMPLE (SOUTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Acetone	mg/kg dry wt	ND	02/27/08	MFF	0.12		
Acrylonitrile	mg/kg dry wt	ND	02/27/08	MFF	0.024		
tert-Amylmethyl Ether	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Benzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromochloromethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromodichloromethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromoform	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromomethane	mg/kg dry wt	ND	02/27/08	MFF	0.012		
2-Butanone (MEK)	mg/kg dry wt	ND	02/27/08	MFF	0.048		
tert-Butyl Alcohol	mg/kg dry wt	ND	02/27/08	MFF	0.048		
n-Butylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
sec-Butylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
tert-Butylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
tert-Butylethyl Ether	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Carbon Disulfide	mg/kg dry wt	ND	02/27/08	MFF	0.008		
Carbon Tetrachloride	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Chlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Chlorodibromomethane	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Chloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.024		
Chloroform	mg/kg dry wt	ND	02/27/08	MFF	0.005		
Chloromethane	mg/kg dry wt	ND	02/27/08	MFF	0.012		
2-Chlorotoluene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
4-Chlorotoluene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dibromo-3-Chloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dibromoethane	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Dibromomethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,3-Dichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,4-Dichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #1 SOUTH

LIMS-BAT #: LIMIT-13766

Job Number: -

Sample ID: 08B06230

Sampled: 2/26/2008
STOCKPILE SAMPLE (SOUTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P / F
						Lo	Hi	
Tetrahydrofuran	mg/kg dry wt	ND	02/27/08	MFF	0.012			
Toluene	mg/kg dry wt	ND	02/27/08	MFF	0.003			
1,2,3-Trichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003			
1,2,4-Trichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003			
1,1,1-Trichloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003			
1,1,2-Trichloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003			
Trichloroethylene	mg/kg dry wt	ND	02/27/08	MFF	0.003			
Trichlorofluoromethane	mg/kg dry wt	ND	02/27/08	MFF	0.012			
1,2,3-Trichloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.003			
1,1,2-Trichloro-1,2,2-Trifluoroethane	mg/kg dry wt	ND	02/27/08	MFF	0.012			
1,2,4-Trimethylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003			
1,3,5-Trimethylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003			
Vinyl Chloride	mg/kg dry wt	ND	02/27/08	MFF	0.012			
m + p Xylene	mg/kg dry wt	ND	02/27/08	MFF	0.005			
o-Xylene	mg/kg dry wt	ND	02/27/08	MFF	0.003			

Analytical Method:

SW846 8260

SAMPLES ARE CONCENTRATED BY PURGE & TRAP, FOLLOWED BY GC/MS TARGET COMPOUND ANALYSIS. REPORTED RESULTS AND REPORTING LIMITS FOR 1,4-DIOXANE AND TERT-BUTYLALCOHOL ARE ESTIMATED SINCE RESPONSE FACTORS FOR THESE COMPOUNDS ARE BELOW METHOD SPECIFICATIONS.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008

Page 7 of 22

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #2 MID

LIMS-BAT #: LIMIT-13766

Job Number: -

Sample ID: *08B06231

Sampled: 2/26/2008

STOCKPILE SAMPLE (MIDDLE)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
trans-1,4-Dichloro-2-Butene	mg/kg dry wt	ND	02/27/08	MFF	0.006		
Dichlorodifluoromethane	mg/kg dry wt	ND	02/27/08	MFF	0.026		
1,1-Dichloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dichloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1-Dichloroethylene	mg/kg dry wt	ND	02/27/08	MFF	0.006		
cis-1,2-Dichloroethylene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
trans-1,2-Dichloroethylene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dichloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,3-Dichloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.002		
2,2-Dichloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1-Dichloropropene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
cis-1,3-Dichloropropene	mg/kg dry wt	ND	02/27/08	MFF	0.002		
trans-1,3-Dichloropropene	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Diethyl Ether	mg/kg dry wt	ND	02/27/08	MFF	0.026		
Diisopropyl Ether	mg/kg dry wt	ND	02/27/08	MFF	0.002		
1,4-Dioxane	mg/kg dry wt	ND	02/27/08	MFF	0.13		
Ethyl Benzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Hexachlorobutadiene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
2-Hexanone	mg/kg dry wt	ND	02/27/08	MFF	0.026		
Isopropylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
p-Isopropyltoluene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
MTBE	mg/kg dry wt	ND	02/27/08	MFF	0.006		
Methylene Chloride	mg/kg dry wt	ND	02/27/08	MFF	0.026		
MIBK	mg/kg dry wt	ND	02/27/08	MFF	0.026		
Naphthalene	mg/kg dry wt	ND	02/27/08	MFF	0.006		
n-Propylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Styrene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1,1,2-Tetrachloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1,2,2-Tetrachloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Tetrachloroethylene	mg/kg dry wt	ND	02/27/08	MFF	0.003		

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

3/5/2008

Page 9 of 22

Purchase Order No.: 897660

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #3 NORTH

LIMS-BAT #: LIMIT-13766

Job Number: -

Sample ID : 08B06232

Sampled : 2/26/2008

STOCKPILE SAMPLE (NORTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Acetone	mg/kg dry wt	ND	02/27/08	MFF	0.11		
Acrylonitrile	mg/kg dry wt	ND	02/27/08	MFF	0.022		
tert-Amylmethyl Ether	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Benzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromochloromethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromodichloromethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromoform	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Bromomethane	mg/kg dry wt	ND	02/27/08	MFF	0.011		
2-Butanone (MEK)	mg/kg dry wt	ND	02/27/08	MFF	0.044		
tert-Butyl Alcohol	mg/kg dry wt	ND	02/27/08	MFF	0.044		
n-Butylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
sec-Butylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
tert-Butylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
tert-Butylethyl Ether	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Carbon Disulfide	mg/kg dry wt	ND	02/27/08	MFF	0.007		
Carbon Tetrachloride	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Chlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Chlorodibromomethane	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Chloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.022		
Chloroform	mg/kg dry wt	ND	02/27/08	MFF	0.005		
Chloromethane	mg/kg dry wt	ND	02/27/08	MFF	0.011		
2-Chlorotoluene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
4-Chlorotoluene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dibromo-3-Chloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dibromoethane	mg/kg dry wt	ND	02/27/08	MFF	0.002		
Dibromomethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2-Dichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,3-Dichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,4-Dichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008
Page 11 of 22

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #3 NORTH

LIMS-BAT #: LIMIT-13766
Job Number: -

Sample ID : 08B06232

Sampled : 2/26/2008
STOCKPILE SAMPLE (NORTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Tetrahydrofuran	mg/kg dry wt	ND	02/27/08	MFF	0.011		
Toluene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2,3-Trichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,2,4-Trichlorobenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1,1-Trichloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1,2-Trichloroethane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Trichloroethylene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Trichlorofluoromethane	mg/kg dry wt	ND	02/27/08	MFF	0.011		
1,2,3-Trichloropropane	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,1,2-Trichloro-1,2,2-Trifluoroethane	mg/kg dry wt	ND	02/27/08	MFF	0.011		
1,2,4-Trimethylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
1,3,5-Trimethylbenzene	mg/kg dry wt	ND	02/27/08	MFF	0.003		
Vinyl Chloride	mg/kg dry wt	ND	02/27/08	MFF	0.011		
m + p Xylene	mg/kg dry wt	ND	02/27/08	MFF	0.005		
o-Xylene	mg/kg dry wt	ND	02/27/08	MFF	0.003		

Analytical Method:
SW846 8260

SAMPLES ARE CONCENTRATED BY PURGE & TRAP, FOLLOWED BY GC/MS TARGET COMPOUND ANALYSIS. REPORTED RESULTS AND REPORTING LIMITS FOR 1,4-DIOXANE AND TERT-BUTYLALCOHOL ARE ESTIMATED SINCE RESPONSE FACTORS FOR THESE COMPOUNDS ARE BELOW METHOD SPECIFICATIONS.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008
Page 13 of 22

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #1 SOUTH

LIMS-BAT #: LIMIT-13766
Job Number: -

Sample ID : 08B06230
Sampled : 2/26/2008
STOCKPILE SAMPLE (SOUTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Cadmium	mg/kg dry wt	ND	02/29/08	AMP	0.29		

Field Sample #: #2 MID
Sample ID : 08B06231
Sampled : 2/26/2008
STOCKPILE SAMPLE (MIDDLE)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Cadmium	mg/kg dry wt	ND	02/29/08	AMP	0.29		

Field Sample #: #3 NORTH
Sample ID : 08B06232
Sampled : 2/26/2008
STOCKPILE SAMPLE (NORTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Cadmium	mg/kg dry wt	ND	02/29/08	AMP	0.28		

Analytical Method:
SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or
regulatory level for comparison with data to
determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008
Page 15 of 22

Project Location: 225 GOODWIN STREET

LIMS-BAT #: LIMIT-13766

Date Received: 2/26/2008

Job Number: -

Field Sample #: #1 SOUTH

Sample ID : 08B06230

Sampled : 2/26/2008
STOCKPILE SAMPLE (SOUTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Flashpoint	deg. F	>212	02/29/08	MAM		140	P

Field Sample #: #2 MID

Sample ID : 08B06231

Sampled : 2/26/2008
STOCKPILE SAMPLE (MIDDLE)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Flashpoint	deg. F	>212	02/29/08	MAM		140	P

Field Sample #: #3 NORTH

Sample ID : 08B06232

Sampled : 2/26/2008
STOCKPILE SAMPLE (NORTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Flashpoint	deg. F	>212	02/29/08	MAM		140	P

Analytical Method:

SW846 1010

PENSKY-MARTENS CLOSED CUP PROCEDURE

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008
Page 17 of 22

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #1 SOUTH

LIMS-BAT #: LIMIT-13766
Job Number: -

Sample ID: 08B06230
Sampled: 2/26/2008
STOCKPILE SAMPLE (SOUTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P / F
Lead	mg/kg dry wt	18.6	02/29/08	AMP	0.85		

Field Sample #: #2 MID
Sample ID: 08B06231
Sampled: 2/26/2008
STOCKPILE SAMPLE (MIDDLE)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P / F
Lead	mg/kg dry wt	4.94	02/29/08	AMP	0.86		

Field Sample #: #3 NORTH
Sample ID: 08B06232
Sampled: 2/26/2008
STOCKPILE SAMPLE (NORTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P / F
Lead	mg/kg dry wt	6.78	02/29/08	AMP	0.84		

Analytical Method:
SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or
regulatory level for comparison with data to
determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

3/5/2008
Page 19 of 22

Project Location: 225 GOODWIN STREET

Date Received: 2/26/2008

Field Sample #: #1 SOUTH

Purchase Order No.: 897660

LIMS-BAT #: LIMIT-13766

Job Number: -

Sample ID: 08B06230

Sampled: 2/26/2008
STOCKPILE SAMPLE (SOUTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Cyanide, reactive	mg/kg	ND	03/04/08	MAM	4.5	250	P
Reactive Sulfide	mg/kg	ND	03/04/08	MAM	20	500	P

Field Sample #: #2 MID

Sample ID: 08B06231

Sampled: 2/26/2008
STOCKPILE SAMPLE (MIDDLE)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Cyanide, reactive	mg/kg	ND	03/04/08	MAM	4.5	250	P
Reactive Sulfide	mg/kg	ND	03/04/08	MAM	20	500	P

Field Sample #: #3 NORTH

Sample ID: 08B06232

Sampled: 2/26/2008
STOCKPILE SAMPLE (NORTH)

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Cyanide, reactive	mg/kg	ND	03/04/08	MAM	4.5	250	P
Reactive Sulfide	mg/kg	ND	03/04/08	MAM	20	500	P

Analytical Method:

SW846 CH.7.3.3.2/7.3.4.2

REACTIVE CYANIDE SW846 CHPT. 7.3.3.2

QUANTITATIVE ANALYSIS OF HYDROGEN CYANIDE GAS GENERATED
WHEN THE SAMPLE IS TREATED WITH ACID.

REACTIVE SULFIDE SW846 CHPT. 7.3.4.2

QUANTITATIVE ANALYSIS OF HYDROGEN SULFIDE GAS GENERATED
WHEN THE SAMPLE IS TREATED WITH ACID.

METHOD IS NOT REQUIRED TO DETERMINE REACTIVITY OF A SAMPLE.
EPA HAS WITHDRAWN THIS METHOD FROM THE GUIDANCE DOCUMENT.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or
regulatory level for comparison with data to
determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

FRED VANDERHOOF
ASSOCIATED BUILDING WRECKERS
352 ALBANY STREET
SPRINGFIELD, MA 01106

Purchase Order No.: 897660

3/5/2008
Page 21 of 22

Project Location: 225 GOODWIN STREET
Date Received: 2/26/2008
Field Sample #: #1 SOUTH

LIMS-BAT #: LIMIT-13766
Job Number: -

Sample ID: 08B06230
Sampled: 2/26/2008
STOCKPILE SAMPLE (SOUTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unknown Hydrocarbons	mg/kg dry wt	ND	02/28/08	PJG	9.4		

Field Sample #: #2 MID

Sample ID: 08B06231
Sampled: 2/26/2008
STOCKPILE SAMPLE (MIDDLE)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unknown Hydrocarbons	mg/kg dry wt	ND	02/28/08	PJG	9.5		

Field Sample #: #3 NORTH

Sample ID: 08B06232
Sampled: 2/26/2008
STOCKPILE SAMPLE (NORTH)
Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Unknown Hydrocarbons	mg/kg dry wt	1800	02/28/08	PJG	470		

Analytical Method:
MODIFIED SW846 8100

SAMPLES ARE EXTRACTED INTO METHYLENE CHLORIDE AND ANALYZED BY GAS CHROMATOGRAPHY WITH FLAME IONIZATION DETECTION (FID). ALL PEAKS ELUTING IN THE PETROLEUM FUEL REGION ARE QUANTITATED AS #2 FUEL OIL.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 1 of 25

QC Batch Number: FLASHPONT-2411

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75502	Flashpoint	Lab Fort Blank Amt.	81.0	deg. F	
		Lab Fort Blk. Found	80.6	deg. F	
		Lab Fort Blk. % Rec.	99.5	%	
LFBLANK-75503	Flashpoint	Lab Fort Blank Amt.	81.0	deg. F	
		Lab Fort Blk. Found	80.6	deg. F	
		Lab Fort Blk. % Rec.	99.5	%	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMIT-13766

Page 3 of 25

QC Batch Number: GC/ECD-10786

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75515	PCB-1260	Lab Fort Blank Range	3.557	units	
		Lab Fort Bl. Av. Rec	95.071	%	
		LFB Duplicate RPD	3.741	%	0-30
	PCB 1016	Lab Fort Blank Amt.	0.200	mg/kg dry wt	
		Lab Fort Blk. Found	0.185	mg/kg dry wt	
		Lab Fort Blk. % Rec.	92.622	%	40-140
		Dup Lab Fort Bl Amt.	0.200	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	0.181	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	90.967	%	
		Lab Fort Blank Range	1.655	units	
		Lab Fort Bl. Av. Rec	91.795	%	
		LFB Duplicate RPD	1.802	%	0-30



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 5 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B06230	1,2-Dichloroethane-d4	Surrogate Recovery	106.600	%	70-130
	Toluene-d8	Surrogate Recovery	100.360	%	70-130
	Bromofluorobenzene	Surrogate Recovery	98.640	%	70-130
08B06231	Acetone	Sample Amount	<0.13	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.066	mg/kg dry wt	
		Matrix Spike % Rec.	303.399	%	70-130
	Benzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	98.399	%	70-130
	Carbon Tetrachloride	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	101.900	%	70-130
	Chloroform	Sample Amount	<0.006	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	104.300	%	70-130
	1,2-Dichloroethane	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	100.800	%	70-130
	1,4-Dichlorobenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	98.799	%	70-130
	Ethyl Benzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	97.399	%	70-130
	2-Butanone (MEK)	Sample Amount	<0.051	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.043	mg/kg dry wt	
		Matrix Spike % Rec.	199.199	%	70-130
	MIBK	Sample Amount	<0.026	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.034	mg/kg dry wt	
		Matrix Spike % Rec.	156.100	%	70-130
	Naphthalene	Sample Amount	<0.006	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.024	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 7 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B06231	1,3-Dichlorobenzene	MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	102.100	%	70-130
	1,1-Dichloroethane	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	104.300	%	70-130
	1,1-Dichloroethylene	Sample Amount	<0.006	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	101.600	%	70-130
	1,4-Dioxane	Sample Amount	<0.13	mg/kg dry wt	
		Matrix Spk Amt Added	0.109	mg/kg dry wt	
		MS Amt Measured	0.102	mg/kg dry wt	
		Matrix Spike % Rec.	94.259	%	70-130
	MTBE	Sample Amount	<0.006	mg/kg dry wt	
		Matrix Spk Amt Added	0.043	mg/kg dry wt	
		MS Amt Measured	0.046	mg/kg dry wt	
		Matrix Spike % Rec.	107.000	%	70-130
	trans-1,2-Dichloroethylene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	106.300	%	70-130
	Vinyl Chloride	Sample Amount	<0.013	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	97.000	%	70-130
	Methylene Chloride	Sample Amount	<0.026	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.025	mg/kg dry wt	
		Matrix Spike % Rec.	118.000	%	70-130
	Chlorobenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	100.400	%	70-130
	Chloromethane	Sample Amount	<0.013	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.020	mg/kg dry wt	
		Matrix Spike % Rec.	94.799	%	70-130
	Bromomethane	Sample Amount	<0.013	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.019	mg/kg dry wt	
		Matrix Spike % Rec.	87.799	%	70-130
	Chloroethane	Sample Amount	<0.026	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 9 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B06231	n-Propylbenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	104.900	%	70-130
	sec-Butylbenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	105.600	%	70-130
	tert-Butylbenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.024	mg/kg dry wt	
		Matrix Spike % Rec.	114.600	%	70-130
	1,2,3-Trichlorobenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.024	mg/kg dry wt	
		Matrix Spike % Rec.	111.000	%	70-130
	1,2,4-Trichlorobenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	108.200	%	70-130
	1,2,4-Trimethylbenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	101.600	%	70-130
	1,3,5-Trimethylbenzene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	107.300	%	70-130
	4-Chlorotoluene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	106.500	%	70-130
	Dibromomethane	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	101.300	%	70-130
	cis-1,2-Dichloroethylene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	103.200	%	70-130
	1,1-Dichloropropene	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 11 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B06231	Carbon Disulfide	MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	97.699	%	70-130
	2-Hexanone	Sample Amount	<0.026	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.038	mg/kg dry wt	
		Matrix Spike % Rec.	174.399	%	70-130
	trans-1,4-Dichloro-2-Butene	Sample Amount	<0.006	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.027	mg/kg dry wt	
		Matrix Spike % Rec.	125.399	%	70-130
	Diethyl Ether	Sample Amount	<0.026	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.022	mg/kg dry wt	
		Matrix Spike % Rec.	103.900	%	70-130
	Bromodichloromethane	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	106.100	%	70-130
	1,2-Dichloroethane-d4	Surrogate Recovery	105.000	%	70-130
	Toluene-d8	Surrogate Recovery	99.040	%	70-130
	Bromofluorobenzene	Surrogate Recovery	98.880	%	70-130
	1,2-Dibromo-3-Chloropropane	Sample Amount	<0.003	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.025	mg/kg dry wt	
		Matrix Spike % Rec.	114.700	%	70-130
	1,2-Dibromoethane	Sample Amount	<0.002	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.023	mg/kg dry wt	
		Matrix Spike % Rec.	109.200	%	70-130
	Tetrahydrofuran	Sample Amount	<0.013	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.025	mg/kg dry wt	
		Matrix Spike % Rec.	116.300	%	70-130
	tert-Butyl Alcohol	Sample Amount	<0.051	mg/kg dry wt	
		Matrix Spk Amt Added	0.109	mg/kg dry wt	
		MS Amt Measured	0.140	mg/kg dry wt	
		Matrix Spike % Rec.	128.639	%	70-130
	Diisopropyl Ether	Sample Amount	<0.002	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	
		MS Amt Measured	0.021	mg/kg dry wt	
		Matrix Spike % Rec.	99.700	%	70-130
	tert-Butylethyl Ether	Sample Amount	<0.002	mg/kg dry wt	
		Matrix Spk Amt Added	0.021	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 13 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
BLANK-113881	cis-1,3-Dichloropropene	Blank	<0.001	mg/kg dry wt	
	trans-1,3-Dichloropropene	Blank	<0.001	mg/kg dry wt	
	Chlorodibromomethane	Blank	<0.001	mg/kg dry wt	
	1,1,2-Trichloroethane	Blank	<0.002	mg/kg dry wt	
	Bromoform	Blank	<0.002	mg/kg dry wt	
	1,1,2,2-Tetrachloroethane	Blank	<0.001	mg/kg dry wt	
	2-Chlorotoluene	Blank	<0.002	mg/kg dry wt	
	Hexachlorobutadiene	Blank	<0.002	mg/kg dry wt	
	Isopropylbenzene	Blank	<0.002	mg/kg dry wt	
	p-Isopropyltoluene	Blank	<0.002	mg/kg dry wt	
	n-Propylbenzene	Blank	<0.002	mg/kg dry wt	
	sec-Butylbenzene	Blank	<0.002	mg/kg dry wt	
	tert-Butylbenzene	Blank	<0.002	mg/kg dry wt	
	1,2,3-Trichlorobenzene	Blank	<0.002	mg/kg dry wt	
	1,2,4-Trichlorobenzene	Blank	<0.002	mg/kg dry wt	
	1,2,4-Trimethylbenzene	Blank	<0.002	mg/kg dry wt	
	1,3,5-Trimethylbenzene	Blank	<0.002	mg/kg dry wt	
	4-Chlorotoluene	Blank	<0.002	mg/kg dry wt	
	Dibromomethane	Blank	<0.002	mg/kg dry wt	
	cis-1,2-Dichloroethylene	Blank	<0.002	mg/kg dry wt	
	1,1-Dichloropropene	Blank	<0.002	mg/kg dry wt	
	1,2-Dichloropropane	Blank	<0.002	mg/kg dry wt	
	1,3-Dichloropropane	Blank	<0.001	mg/kg dry wt	
	2,2-Dichloropropane	Blank	<0.002	mg/kg dry wt	
	1,1,1,2-Tetrachloroethane	Blank	<0.002	mg/kg dry wt	
	1,2,3-Trichloropropane	Blank	<0.002	mg/kg dry wt	
	n-Butylbenzene	Blank	<0.002	mg/kg dry wt	
	Dichlorodifluoromethane	Blank	<0.020	mg/kg dry wt	
	Bromochloromethane	Blank	<0.002	mg/kg dry wt	
	Bromobenzene	Blank	<0.002	mg/kg dry wt	
	Acrylonitrile	Blank	<0.020	mg/kg dry wt	
	Carbon Disulfide	Blank	<0.006	mg/kg dry wt	
	2-Hexanone	Blank	<0.020	mg/kg dry wt	
	trans-1,4-Dichloro-2-Butene	Blank	<0.004	mg/kg dry wt	
	Diethyl Ether	Blank	<0.020	mg/kg dry wt	
	Bromodichloromethane	Blank	<0.002	mg/kg dry wt	
	1,2-Dibromo-3-Chloropropane	Blank	<0.002	mg/kg dry wt	
	1,2-Dibromoethane	Blank	<0.001	mg/kg dry wt	
	Tetrahydrofuran	Blank	<0.010	mg/kg dry wt	
	tert-Butyl Alcohol	Blank	<0.040	mg/kg dry wt	
	Diisopropyl Ether	Blank	<0.001	mg/kg dry wt	
	tert-Butylethyl Ether	Blank	<0.001	mg/kg dry wt	
	tert-Amylmethyl Ether	Blank	<0.001	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMT-13766

Page 15 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75352	Trichloroethylene	Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	102.800	%	70-130
	1,1,2-Trichloro-1,2,2-Trifluoroethane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	101.800	%	40-160
	Trichlorofluoromethane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.023	mg/kg dry wt	
		Lab Fort Blk. % Rec.	119.200	%	70-130
	o-Xylene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.019	mg/kg dry wt	
		Lab Fort Blk. % Rec.	99.300	%	70-130
	m + p Xylene	Lab Fort Blank Amt.	0.040	mg/kg dry wt	
		Lab Fort Blk. Found	0.040	mg/kg dry wt	
		Lab Fort Blk. % Rec.	100.500	%	70-130
	1,2-Dichlorobenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.019	mg/kg dry wt	
		Lab Fort Blk. % Rec.	99.300	%	70-130
	1,3-Dichlorobenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.019	mg/kg dry wt	
		Lab Fort Blk. % Rec.	99.000	%	70-130
	1,1-Dichloroethane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	106.300	%	70-130
	1,1-Dichloroethylene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	108.700	%	70-130
	1,4-Dioxane	Lab Fort Blank Amt.	0.100	mg/kg dry wt	
		Lab Fort Blk. Found	0.094	mg/kg dry wt	
		Lab Fort Blk. % Rec.	94.900	%	40-160
	MTBE	Lab Fort Blank Amt.	0.040	mg/kg dry wt	
		Lab Fort Blk. Found	0.043	mg/kg dry wt	
		Lab Fort Blk. % Rec.	108.000	%	70-130
	trans-1,2-Dichloroethylene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	109.000	%	70-130
	Vinyl Chloride	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	105.000	%	40-130
	Methylene Chloride	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	106.100	%	40-160
	Chlorobenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 3/5/2008

Lims Bat #: LIMIT-13766

Page 17 of 25

QC Batch Number: GCMS/VOL-18917

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-75352	sec-Butylbenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	105.900	%	70-130
	tert-Butylbenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.022	mg/kg dry wt	
		Lab Fort Blk. % Rec.	111.900	%	70-160
	1,2,3-Trichlorobenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.019	mg/kg dry wt	
		Lab Fort Blk. % Rec.	97.000	%	70-130
	1,2,4-Trichlorobenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.019	mg/kg dry wt	
		Lab Fort Blk. % Rec.	95.900	%	40-130
	1,2,4-Trimethylbenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	100.000	%	70-130
	1,3,5-Trimethylbenzene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	107.600	%	70-130
	4-Chlorotoluene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	105.100	%	70-130
	Dibromomethane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	101.300	%	70-130
	cis-1,2-Dichloroethylene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	102.100	%	70-130
	1,1-Dichloropropene	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	105.900	%	70-130
	1,2-Dichloropropane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	101.600	%	70-130
	1,3-Dichloropropane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.020	mg/kg dry wt	
		Lab Fort Blk. % Rec.	104.400	%	70-130
	2,2-Dichloropropane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	108.900	%	70-130
	1,1,1,2-Tetrachloroethane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	
		Lab Fort Blk. Found	0.021	mg/kg dry wt	
		Lab Fort Blk. % Rec.	106.900	%	70-130
	1,2,3-Trichloropropane	Lab Fort Blank Amt.	0.020	mg/kg dry wt	